

Pharmacognosy section

Extended Services:

Under the National Medicinal Plants Board (NMPB) funded Project, entitled “Development of Regional Raw Drug Repository (Gangetic Plain Region)” the following services are extending on payment basis:

1. SALE OF BOTANICAL REFERENCE STANDARDS (BRS)

The following Botanical Reference Standards (BRS) with Certificate of Analysis (CoA) are available for sale at PCIM&H. For ordering the BRS material kindly email the requisition to dir.pcimh-ayush@gov.in alongwith duly filled **Supply Order form**

Price: INR 500.00. per 5gm BRS Material (For students)

: INR 1000.00 per 5gm BRS Material (For other stakeholders)

GST as applicable

Mode of payment: **Through Bharat Kosh, Under Ministry of Health & Family welfare,
DDO Code: 118265**

List of BRS available for sale

Sl.No	List of Raw drug	Part
1.	<i>Acacia catechu</i>	Heart Wood
2.	<i>Acacia leucophloea</i>	Stem Bark
3.	<i>Acacia nilotica</i>	Stem Bark
4.	<i>Achyranthes aspera</i>	Whole Plant
5.	<i>Achyranthes aspera</i>	Root
6.	<i>Achyranthes aspera</i>	Seed
7.	<i>Acorus calamus</i>	Rhizome
8.	<i>Abrus precatorius</i>	Seed
9.	<i>Abutilon indicum</i>	Whole plant
10.	<i>Acalypha indica</i>	Whole plant
11.	<i>Acalypha indica</i>	Root
12.	<i>Aegle marmelos</i>	Stem Bark
13.	<i>Aegle marmelos</i>	Fruit pulp
14.	<i>Aegle marmelos</i>	Leaf
15.	<i>Aerva lanata</i>	Whole plant
16.	<i>Ailanthus excelsa</i>	Stem bark
17.	<i>Albizia procera</i>	Stem Bark
18.	<i>Alternanthera sessilis</i>	Whole Plant
19.	<i>Alstonia scholaris</i>	Stem bark
20.	<i>Alstonia scholaris</i>	Flower
21.	<i>Alhagi pseudalhagi</i>	Whole plant 1

22.	<i>Ammi majus</i>	Whole plant
23.	<i>Amaranthus spinosus</i>	Whole Plant
24.	<i>Amorphophallus paeniifolius</i>	Corn
25.	<i>Anthocephalus cadamba</i>	Stem Bark
26.	<i>Anacyclus pyrethrum</i>	Aerial part
27.	<i>Anagallis arvensis</i>	Whole plant
28.	<i>Andrographis paniculata</i>	Whole plant
29.	<i>Artocarpus heterophyllus</i>	Root Bark
30.	<i>Argemone mexicana</i>	Whole plant
31.	<i>Argyreia nervosa</i>	Leaf
32.	<i>Argyreia nervosa</i>	Stem
33.	<i>Asparagus racemosus</i>	Whole plant
34.	<i>Asparagus officinalis</i>	Root
35.	<i>Azadirachta indica</i>	Stem Bark
36.	<i>Azadirachta indica</i>	Seed
37.	<i>Azadirachta indica</i>	Flower
38.	<i>Bacopa monnieri</i>	Whole plant
39.	<i>Barleria prionitis</i>	Whole Plant
40.	<i>Bauhinia racemosa</i>	Stem Bark
41.	<i>Bauhinia variegata</i>	Stem bark
42.	<i>Boerhavia diffusa</i>	Whole Plant
43.	<i>Bombax ceiba</i>	Stem Bark
44.	<i>Brassica campestris</i>	Root
45.	<i>Butea monosperma</i>	Flower
46.	<i>Butea monosperma</i>	Stem Bark
47.	<i>Calotropis procera</i>	Leaf
48.	<i>Calotropis procera</i>	Whole plant
49.	<i>Cannabis sativa</i>	Inflorescence
50.	<i>Cardiospermum helicacabum</i>	Whole Plant
51.	<i>Cassia fistula</i>	Fruit
52.	<i>Cassia fistula</i>	Leaf
53.	<i>Cactus grandiflorus</i>	Whole plant
54.	<i>Carica papaya</i>	Fruit
55.	<i>Cassia occidentalis</i>	Seed
56.	<i>Cassia tora</i>	Seed
57.	<i>Chamomila</i>	Aerial part
58.	<i>Caesalpinia bonduc</i>	Seed
59.	<i>Cajanus cajan</i>	Leaf
60.	<i>Calendula officinalis</i>	Flower
61.	<i>Coccinia grandis</i>	Root
62.	<i>Coccinia grandis</i>	Fruit
63.	<i>Coccinia grandis</i>	Whole plant
64.	<i>Centella asiatica</i>	Whole Plant
65.	<i>Cicer arietinum</i>	Whole Plant
66.	<i>Cicer arietinum</i>	Seed
67.	<i>Cinnamomum tamala</i>	Leaf
68.	<i>Clerodendron infortunatum</i>	Leaf
69.	<i>Cucumis sativus</i>	Seed
70.	<i>Curcuma amada</i>	Rhizome

71.	<i>Curcuma longa</i>	Rhizome
72.	<i>Cuscuta reflexa</i>	Whole plant
73.	<i>Cymbopogon citratus</i>	Leaf
74.	<i>Cymbopogon jwarancusa</i>	Whole Plant
75.	<i>Cyperus rotundus</i>	Root
76.	<i>Dalbergia sissoo</i>	Heart Wood
77.	<i>Datura metel</i>	Whole Plant
78.	<i>Datura metel</i>	Fruit
79.	<i>Datura stramonium</i>	Whole Plant
80.	<i>Emblica officinalis</i>	Fruit
81.	<i>Euphorbia hirta</i>	Whole plant
82.	<i>Erythrina indica</i>	Stem bark
83.	<i>Ficus benghalensis</i>	Aerial root
84.	<i>Ficus racemosa</i>	Stem bark
85.	<i>Ficus religiosa</i>	Stem bark
86.	<i>Gymnema sylvestris</i>	Leaf
87.	<i>Hordium vulgare</i>	Seed
88.	<i>Hyoscyamus niger</i>	Aerial part
89.	<i>Hibiscus rosa-sinensis</i>	Flower
90.	<i>Hemidesmus indicus</i>	Root
91.	<i>Justicia adhatoda</i>	Aerial part
92.	<i>Justicia adhatoda</i>	Leaf
93.	<i>Lawsonia inermis</i>	Leaf
94.	<i>Leonotis nepetifolia</i>	Whole plant
95.	<i>Leucas cephalotus</i>	Whole Plant
96.	<i>Luffa acutangula</i>	Fruit
97.	<i>Mangifera indica</i>	Stem Bark
98.	<i>Mangifera indica</i>	Leaf
99.	<i>Melia azedarach</i>	Stem bark
100.	<i>Melia azedarach</i>	Leaf
101.	<i>Mentha spicata</i>	Leaf
102.	<i>Mimosa pudica</i>	Whole Plant
103.	<i>Mimusops elengi</i>	Fruit
104.	<i>Moringa oleifera</i>	Stem Bark
105.	<i>Moringa oleifera</i>	Leaf
106.	<i>Moringa oleifera</i>	Gum
107.	<i>Momordica charantia</i>	Seed
108.	<i>Mucuna pruriens</i>	Seed
109.	<i>Murraya koenigii</i>	Leaf
110.	<i>Musa paradisiaca</i>	Unripe fruit
111.	<i>Nerium oleander</i>	Leaf
112.	<i>Nerium oleander</i>	Root
113.	<i>Nepeta cataria</i>	Aeraial part
114.	<i>Oxalis corniculata</i>	Whole plant
115.	<i>Oroxylum indicum</i>	Seed
116.	<i>Oryza sativa</i>	Root
117.	<i>Ocimum basilicum</i>	Whole plant
118.	<i>Ocimum tenuiflorum</i>	Stem
119.	<i>Pergularia daemia</i>	Whole Plant

120.	<i>Peristrophe bicalyculata</i>	Whole Plant
121.	<i>Phyla nodiflora</i>	Whole plant
122.	<i>Plumbago zeylanicum</i>	Whole plant
123.	<i>Pongamia pinnata</i>	Leaf
124.	<i>Pongamia pinnata</i>	Root
125.	<i>Pongamia pinnata</i>	Stem Bark
126.	<i>Psoralea corylifolia</i>	Fruit
127.	<i>Punica granatum</i>	Fruit rind
128.	<i>Punica granatum</i>	Leaf
129.	<i>Punica granatum</i>	Seed
131	<i>Pterocarpus marsupium</i>	Heart Wood
132	<i>Raphanus sativus</i>	Root
133	<i>Ricinus communis</i>	Leaf
134	<i>Ricinus communis</i>	Fruit
135	<i>Ricinus communis</i>	Root
136	<i>Rosa centifolia</i>	Flower
137	<i>Rosa damacena</i>	Flower
138	<i>Rhus glabra</i>	Leaf
139	<i>Ruta graveolens</i>	Whole plant
140	<i>Rumex crispus</i>	Whole plant
141	<i>Santolina chamaecyparissus</i>	Whole Plant
142	<i>Sesamum indicum</i>	Seed
143	<i>Sida cordifolia</i>	Whole plant
144	<i>Spondias pinnata</i>	Fruit
145	<i>Spondias pinnata</i>	Stem
146	<i>Spondias pinnata</i>	Stem bark
147	<i>Silybum marianum</i>	Aerial part
148	<i>Solanum nigrum</i>	Whole plant
149	<i>Syzygium cumini</i>	Stem bark
150	<i>Syzygium cumini</i>	Seed
151	<i>Tamarindus indica</i>	Fruit
152	<i>Terminalia arjuna</i>	Stem bark
153	<i>Terminalia bellirica</i>	fruit
154	<i>Thevetia peruviana</i>	root
155	<i>Tinospora cordifolia</i>	Stem
156	<i>Tribulus terrestris</i>	Whole Plant
157	<i>Verbascum thapsus</i>	Flower
158	<i>Vitex negundo</i>	Leaf
159	<i>Wedelia chinensis</i>	Whole plant
160	<i>Withania somnifera</i>	Leaf

2. SALE OF RAW DRUGS (SINGLE DRUGS)

Authentic Raw Drugs/Single drugs of plant origin used in Ayurveda, Siddha, Unani and Homoeopathy systems of medicines are available with Passport data for sale for the MD/Ph.D. students/Research Scholars. For procuring authentic Raw Drugs kindly email the requisition to dir.pcimh-ayush@gov.in with duly filled **Supply Order form**. The list of Authentic Raw Drugs/Single drugs available for sale is as follows:

Price: INR 1000.00 per 100gm (GST as applicable)

Mode of payment: **Through Bharat Kosh, Under Ministry of Health & Family welfare,
DDO Code: 118265**

List of available Raw Drugs/Single Drugs

Sl.No	List of Raw drug	Part
1.	<i>Acacia catechu</i>	Heart Wood
2.	<i>Acacia leucophloea</i>	Stem Bark
3.	<i>Acacia nilotica</i>	Stem Bark
4.	<i>Achyranthes aspera</i>	Whole Plant
5.	<i>Achyranthes aspera</i>	Root
6.	<i>Achyranthes aspera</i>	Seed
7.	<i>Acorus calamus</i>	Rhizome
8.	<i>Abrus precatorius</i>	Seed
9.	<i>Abutilon indicum</i>	Whole plant
10.	<i>Acalypha indica</i>	Whole plant
11.	<i>Acalypha indica</i>	Root
12.	<i>Aegle marmelos</i>	Stem Bark
13.	<i>Aegle marmelos</i>	Fruit pulp
14.	<i>Aegle marmelos</i>	Leaf
15.	<i>Aerva lanata</i>	Whole plant
16.	<i>Ailanthus excelsa</i>	Stem bark
17.	<i>Albizia procera</i>	Stem Bark
18.	<i>Alternanthera sessilis</i>	Whole Plant
19.	<i>Alstonia scholaris</i>	Stem bark
20.	<i>Alstonia scholaris</i>	Flower
21.	<i>Alhagi pseudalhagi</i>	Whole plant
22.	<i>Ammi majus</i>	Whole plant
23.	<i>Amaranthus spinosus</i>	Whole Plant
24.	<i>Amorphophallus paeniifolius</i>	Corm
25.	<i>Anthocephalus cadamba</i>	Stem Bark
26.	<i>Anacyclus pyrethrum</i>	Aerial part
27.	<i>Anagallis arvensis</i>	Whole plant
28.	<i>Andrographis paniculata</i>	Whole plant
29.	<i>Artocarpus heterophyllus</i>	Root Bark
30.	<i>Argemone mexicana</i>	Whole plant
31.	<i>Argyreia nervosa</i>	Leaf
32.	<i>Argyreia nervosa</i>	Stem
33.	<i>Asparagus racemosa</i>	Whole plant

34.	<i>Asparagus officinalis</i>	Root
35.	<i>Azadirachta indica</i>	Stem Bark
36.	<i>Azadirachta indica</i>	Seed
37.	<i>Azadirachta indica</i>	Flower
38.	<i>Bacopa monnieri</i>	Whole plant
39.	<i>Barleria prionitis</i>	Whole Plant
40.	<i>Bauhinia racemosa</i>	Stem Bark
41.	<i>Bauhinia variegata</i>	Stem bark
42.	<i>Boerhavia diffusa</i>	Whole Plant
43.	<i>Bombax ceiba</i>	Stem Bark
44.	<i>Brassica campestris</i>	Root
45.	<i>Butea monosperma</i>	Flower
46.	<i>Butea monosperma</i>	Stem Bark
47.	<i>Calotropis procera</i>	Leaf
48.	<i>Calotropis procera</i>	Whole plant
49.	<i>Cannabis sativa</i>	Inflorescence
50.	<i>Cardiospermum helicacabum</i>	Whole Plant
51.	<i>Cassia fistula</i>	Fruit
52.	<i>Cassia fistula</i>	Leaf
53.	<i>Cactus grandiflorus</i>	Whole plant
54.	<i>Carica papaya</i>	Fruit
55.	<i>Cassia occidentalis</i>	Seed
56.	<i>Cassia tora</i>	Seed
57.	<i>Chamomila</i>	Aerial part
58.	<i>Caesalpinia bonduc</i>	Seed
59.	<i>Cajanus cajan</i>	Leaf
60.	<i>Calendula officinalis</i>	Flower
61.	<i>Coccinia grandis</i>	Root
62.	<i>Coccinia grandis</i>	Fruit
63.	<i>Coccinia grandis</i>	Whole plant
64.	<i>Centella asiatica</i>	Whole Plant
65.	<i>Cicer arietinum</i>	Whole Plant
66.	<i>Cicer arietinum</i>	Seed
67.	<i>Cinnamomum tamala</i>	Leaf
68.	<i>Clerodendron infortunatum</i>	Leaf
69.	<i>Cucumis sativus</i>	Seed
70.	<i>Curcuma amada</i>	Rhizome
71.	<i>Curcuma longa</i>	Rhizome
72.	<i>Cuscuta reflexa</i>	Whole plant
73.	<i>Cymbopogon citratus</i>	Leaf
74.	<i>Cymbopogon jwarancusa</i>	Whole Plant
75.	<i>Cyperus rotundus</i>	Root
76.	<i>Dalbergia sissoo</i>	Heart Wood
77.	<i>Datura metel</i>	Whole Plant
78.	<i>Datura metel</i>	Fruit
79.	<i>Datura stramonium</i>	Whole Plant
80.	<i>Emblica officinalis</i>	Fruit
81.	<i>Euphorbia hirta</i>	Whole plant
82.	<i>Erythrina indica</i>	Stem bark

83.	<i>Ficus benghalensis</i>	Aerial root
84.	<i>Ficus racemosa</i>	Stem bark
85.	<i>Ficus religiosa</i>	Stem bark
86.	<i>Gymnema sylvestris</i>	Leaf
87.	<i>Hordium vulgare</i>	Seed
88.	<i>Hyoscyamus niger</i>	Aerial part
89.	<i>Hibiscus rosa-sinensis</i>	Flower
90.	<i>Hemidesmus indicus</i>	Root
91.	<i>Justicia adhatoda</i>	Aerial part
92.	<i>Justicia adhatoda</i>	Leaf
93.	<i>Lawsonia inermis</i>	Leaf
94.	<i>Leonotis nepetifolia</i>	Whole plant
95.	<i>Leucas cephalotus</i>	Whole Plant
96.	<i>Luffa acutangula</i>	Fruit
97.	<i>Mangifera indica</i>	Stem Bark
98.	<i>Mangifera indica</i>	Leaf
99.	<i>Melia azedarach</i>	Stem bark
100.	<i>Melia azedarach</i>	Leaf
101.	<i>Mentha spicata</i>	Leaf
102.	<i>Mimosa pudica</i>	Whole Plant
103.	<i>Mimusops elengi</i>	Fruit
104.	<i>Moringa oleifera</i>	Stem Bark
105.	<i>Moringa oleifera</i>	Leaf
106.	<i>Moringa oleifera</i>	Gum
107.	<i>Momordica charantia</i>	Seed
108.	<i>Mucuna pruriens</i>	Seed
109.	<i>Murraya koenigii</i>	Leaf
110.	<i>Musa paradisiaca</i>	Unripe fruit
111.	<i>Nerium oleander</i>	Leaf
112.	<i>Nerium oleander</i>	Root
113.	<i>Nepeta cataria</i>	Aeraial part
114.	<i>Oxalis corniculata</i>	Whole plant
115.	<i>Oroxylum indicum</i>	Seed
116.	<i>Oryza sativa</i>	Root
117.	<i>Ocimum basilicum</i>	Whole plant
118.	<i>Ocimum tenuiflorum</i>	Stem
119.	<i>Pergularia daemia</i>	Whole Plant
120.	<i>Peristrophe bicalyculata</i>	Whole Plant
121.	<i>Phyla nodiflora</i>	Whole plant
122.	<i>Plumbago zeylanicum</i>	Whole plant
123.	<i>Pongamia pinnata</i>	Leaf
124.	<i>Pongamia pinnata</i>	Root
125.	<i>Pongamia pinnata</i>	Stem Bark
126.	<i>Psoralea corylifolia</i>	Fruit
127.	<i>Punica granatum</i>	Fruit rind
128.	<i>Punica granatum</i>	Leaf
129.	<i>Punica granatum</i>	Seed
131	<i>Pterocarpus marsupium</i>	Heart Wood
132	<i>Raphanus sativus</i>	Root

133	<i>Ricinus communis</i>	Leaf
134	<i>Ricinus communis</i>	Fruit
135	<i>Ricinus communis</i>	Root
136	<i>Rosa centifolia</i>	Flower
137	<i>Rosa damacena</i>	Flower
138	<i>Rhus glabra</i>	Leaf
139	<i>Ruta graveolens</i>	Whole plant
140	<i>Rumex crispus</i>	Whole plant
141	<i>Santolina chamaecyparissus</i>	Whole Plant
142	<i>Sesamum indicum</i>	Seed
143	<i>Sida cordifolia</i>	Whole plant
144	<i>Spondias pinnata</i>	Fruit
145	<i>Spondias pinnata</i>	Stem
146	<i>Spondias pinnata</i>	Stem bark
147	<i>Silybum marianum</i>	Aerial part
148	<i>Solanum nigrum</i>	Whole plant
149	<i>Syzygium cumini</i>	Stem bark
150	<i>Syzygium cumini</i>	Seed
151	<i>Tamarindus indica</i>	Fruit
152	<i>Terminalia arjuna</i>	Stem bark
153	<i>Terminalia bellirica</i>	fruit
154	<i>Thevetia peruviana</i>	root
155	<i>Tinospora cordifolia</i>	Stem
156	<i>Tribulus terrestris</i>	Whole Plant
157	<i>Verbascum thapsus</i>	Flower
158	<i>Vitex negundo</i>	Leaf
159	<i>Wedelia chinensis</i>	Whole plant
160	<i>Withania somnifera</i>	Leaf

3. AUTHENTICATION OF RAW MATERIAL

Authentication of Raw Drug (single drugs) used in ASU&H systems of Medicines is started at PCIM&H on payment basis and its Authentication Certificate will be issued from Pharmacognosy Section under the project Regional Raw Drug Repository (Gangetic Plain Region). For authentication of your raw drugs, kindly email the requisition to dir.pcimh-ayush@gov.in with duly filled **Requisition Form**. For authentication, minimum 100 gm of Raw Drug to be sent to PCIM&H with the details of payment of testing charges as per the rate given in the form. The student/scholar should submit a copy of valid Identity Card and bonafide certificate issued by the guide/head of the Department as proof for concession on rate.

Presently PCIM&H is authenticating only pharmacopoeial single drugs of plant origin as per the list enclosed. Samples other than the enlisted, will not be entertained

List of Pharmacopoeial Single drugs of plant origin

Sl.No	Scientific Name	Part Used*
1.	<i>Abies canadensis</i> Michx.	Bark
2.	<i>Abies webbiana</i> Lindl.	Leaves
3.	<i>Abroma augusta</i> (L.) L. f	Leaf
4.	<i>Abroma augusta</i> L.	Root
5.	<i>Abrus precatorius</i> L.	Seed
6.	<i>Abrus precatorius</i> L.	Root
7.	<i>Abutilon indicum</i> (L.) Sw.	Root
8.	<i>Acacia catechu</i> (L.f.) Willd.	Heart wood
9.	<i>Acacia leucophloea</i> Willd.	Stem bark
10.	<i>Acacia nilotica</i> (L.) Willd. ex Del.	Gum
11.	<i>Acacia nilotica</i> (L.) Willd. ex Del. sp. <i>indica</i> (Benth.) Brenan	Stem bark
12.	<i>Acacia pennata</i> (L.) Willd.	Leaf
13.	<i>Acacia senegal</i> Willd.	Gum
14.	<i>Acacia suma</i> Buch.-Ham.	Heart wood
15.	<i>Acalypha fruticosa</i> Forsk.	Root
16.	<i>Acalypha indica</i> L.	Whole plant
17.	<i>Acanthia lectualria</i> Fabr.	Whole insect
18.	<i>Acer negundo</i> L.	Whole plant
19.	<i>Achillea millefolium</i> L.	Whole plant
20.	<i>Achyranthes aspera</i> L.	Whole plant
21.	<i>Achyranthes aspera</i> L.	Whole plant excluding root
22.	<i>Achyranthes aspera</i> L.	Root
23.	<i>Aconitum chasmanthum</i> Stapf ex Holmes	Root
24.	<i>Aconitum ferox</i> Wall.	Root
25.	<i>Aconitum heterophyllum</i> Wall. ex Royle	Root
26.	<i>Aconitum lycoctonum</i> L.	Whole plant
27.	<i>Aconitum napellus</i> L.	Whole Plant
28.	<i>Acorus calamus</i> L.	Rhizome
29.	<i>Actaea racemosa</i> Gilib	Roots

30.	<i>Adhatoda vasica</i> Nees/ <i>Justicia adhatoda</i> Nees	Leaf
31.	<i>Adhatoda zeylanica</i> Medic.	Root
32.	<i>Adiantum cappillus- veneris</i> L.	Whole plant
33.	<i>Adiantum lunulatum</i> Burm.	Whole plant
34.	<i>Adlumia fungosa</i> (Ait.) Greene	Shoot
35.	<i>Adonis vernalis</i> L.	Whole plant
36.	<i>Aegle marmelos</i> (L.)Corr.	Root
37.	<i>Aegle marmelos</i> (L.) Correa ex Roxb.	Leaf
38.	<i>Aegle marmelos</i> (L.) Cor.	Fresh pulp of unripe or half ripe fruit
39.	<i>Aegle marmelos</i> Corr.	Stem bark
40.	<i>Aegle marmelos</i> Corr.	Fruit pulp
41.	<i>Aerva lanata</i> (L.) Juss. ex Schult.	Whole Plant
42.	<i>Aesculus glabra</i> Willd.	Ripe nut excluding outer shell
43.	<i>Aesculus hippocastanum</i> L.	Ripe nut excluding the outer shell
44.	<i>Aesculus hippocastanum</i> L.	Bark
45.	<i>Aethusa cynapium</i> L.	Whole Plant
46.	<i>Agaricus alba</i> L.	Fruit
47.	<i>Agaricus campestris</i> L. ex. Fr.	Whole fungus
48.	<i>Agaricus muscarius</i> L.	Whole young fungus except outer skin
49.	<i>Agaricus phalloides</i> (Vall.Fr.) Link	Whole fungus (Basidiocarp)
50.	<i>Agave americana</i> L.	Leaf
51.	<i>Agraphis nutans</i> L.	Whole plant
52.	<i>Agropyrum repens</i> Beauv.	Rhizome
53.	<i>Agrostemma githago</i> L.	Seed
54.	<i>Ailanthus excelsa</i> Roxb.	Stem bark
55.	<i>Ailanthus glandulosus</i> Desf.	Stem bark of young shoots and well developed flowers
56.	<i>Alangium salviifolium</i> (L. f.) Wang.	Leaf
57.	<i>Albizia lebbek</i> (L.) Benth.	Stem bark
58.	<i>Alchemilla vulgaris</i> L.	Shoot
59.	<i>Aletris farinosa</i> L.	Rhizome and Root
60.	<i>Alhagi pseudalhagi</i> (Bieb) Desv.	Whole plant
61.	<i>Allium cepa</i> L.	Red mature bulb
62.	<i>Allium cepa</i> L.	Fresh bulbs
63.	<i>Allium cepa</i> L.	Dried seeds
64.	<i>Allium sativum</i> L.	Bulb
65.	<i>Allium ursinum</i> L.	Whole plant
66.	<i>Alnus serrulata</i> Wild.	Bark
67.	<i>Aloe barbadensis</i> Mill.	Dried juice of leaves
68.	<i>Aloe succotrinal</i> L.	Leaf juice
69.	<i>Alpinia calcarata</i> Rosc.	Rhizome
70.	<i>Alpinia galangal</i> (L.) Sw. Syn. <i>Alpinia calcarata</i> Rosc.	Rhizome
71.	<i>Alstonia constricta</i> F. Muell.	Bark
72.	<i>Alstonia scholaris</i> (L.) R. Br.	Stem bark
73.	<i>Alternanthera sessilis</i> (L.) R.Br.,ex DC.	Whole Plant

74.	<i>Althaea officinalis</i> L.	Root
75.	<i>Althaea officinalis</i> L.	Seed
76.	<i>Amanita citrina</i> (Schaeff) ex. Roques.	Whole fungus (Basidiocarp)
77.	<i>Amanita muscaria</i> (L. ex Fr.) Hook.	The whole young fungus
78.	<i>Amanita pantherina</i> (DC. Fr.) Krombh.	Whole fungus (Basidiocarp)
79.	<i>Amaranthus tricolor</i> L.	Whole plant
80.	<i>Ammi majus</i> L.	Whole plant
81.	<i>Ammi visnaga</i> Lam.	Fruit
82.	<i>Amomum subulatum</i> Roxb.	Fruit
83.	<i>Amomum subulatum</i> Roxb.	Seed
84.	<i>Amoora rohituka</i> W & A	Bark
85.	<i>Amorphophallus campanulatus</i> (Roxb.) Blume	Corm
86.	<i>Anacyclus pyrethrum</i> DC.	Root
87.	<i>Anagallis arvensis</i> L.	Whole plant (scarlet variety)
88.	<i>Anamirta cocculus</i> W & A	Seeds
89.	<i>Andrographis paniculata</i> Wall. ex. Ness.	Whole plant
90.	<i>Andrographis paniculata</i> (Burm. f.) Wall. ex Nees	Aerial part
91.	<i>Anemone hepatica</i> L.	Whole plant
92.	<i>Anethum sowa</i> Roxb. ex Flem.	Fruit
93.	<i>Angelica Archangelica</i> L.	Root
94.	<i>Angelica glauca</i> Edgw.	Root Sock
95.	<i>Anisomeles malabarica</i> (L.) R.Br. ex Sims	Whole plant
96.	<i>Anogeissus latifolia</i> Wall.	Fruit
97.	<i>Anogeissus latifolia</i> Wall.	Stem bark
98.	<i>Anthamanta oreoselium</i> L.	Whole plant
99.	<i>Anthemis nobilis</i> L.	Dried whole Plant
100.	<i>Anthemis nobilis</i> L.	Flower Head
101.	<i>Anthocephalus cadamba</i> Miq.	Stem bark
102.	<i>Anthoxanthum odoratum</i> L.	Whole plant
103.	<i>Apium graveolens</i> L.	Fruit
104.	<i>Apium graveolens</i> L.	Seed
105.	<i>Apium leptophyllum</i> (Pers.) f. Muell. ex Benth.	Fruit
106.	<i>Apocynum androsaemifolium</i> L.	Rhizome and root
107.	<i>Apocynum cannabinum</i> L.	Root
108.	<i>Apocynum cannabinum</i> L.	Rhizome and root
109.	<i>Aquilaria agallocha</i> Roxb.	Heart Wood
110.	<i>Aralia racemosa</i> L.	Root
111.	<i>Arctium lappa</i> L.	Root
112.	<i>Arctium majus</i> Bernh.	Root
113.	<i>Arctostaphylos uva-ursi</i> (L.) Spreng.	Leaf
114.	<i>Areca catechu</i> L.	Seed
115.	<i>Argemone mexicana</i> L.	Whole plant
116.	<i>Argyreia nervosa</i> (Burm. f.) Boj.	Root
117.	<i>Arisaema dracontium</i> Schutt.	Root
118.	<i>Arisaema triphyllum</i> Schott	Roots
119.	<i>Aristolochia bracteata</i> Retz.	Leaf

120.	<i>Aristolochia clematitis</i> L.	Root
121.	<i>Aristolochia indica</i> L.	Root
122.	<i>Aristolochia serpentaria</i> L.	Root
123.	<i>Arnica montana</i> L.	Whole plant
124.	<i>Artemisia abrotanum</i> L.	Leaf and young shoot
125.	<i>Artemisia absinthium</i> L.	Whole plant
126.	<i>Artemisia absinthium</i> L.	Leaf and Flower
127.	<i>Artemisia absinthium</i> L. Syn. <i>Absinthium vulgare</i> Gaertn., <i>A. officinale</i> Lam.	Stem
128.	<i>Artemisia maritima</i> L.	Flower heads
129.	<i>Artemisia vulgaris</i> L.	Root
130.	<i>Artocarpus heterophyllus</i> Lamk.	Root bark
131.	<i>Arum inaculatum</i> L.	Root
132.	<i>Arundo donax</i> L.	Whole plant
133.	<i>Asarum canadense</i> L.	Root and Rhizome
134.	<i>Asarum europaeum</i> L.	Rhizome
135.	<i>Asarum europaeum</i> L.	Whole plant
136.	<i>Asclepias curassavica</i> L.	Whole plant
137.	<i>Asclepias incarnata</i> L.	Root
138.	<i>Asclepias tuberosa</i> L.	Root
139.	<i>Asimina triloba</i> (L.) Dunal	Seed
140.	<i>Asparagus officinalis</i> L.	Seed
141.	<i>Asparagus officinalis</i> L.	Root
142.	<i>Asparagus officinalis</i> L.	Young shoot
143.	<i>Asparagus racemosus</i> Willd.	Tuberous Root
144.	<i>Asphodelus tenuifolius</i> Cav.	Dried leaves
145.	<i>Asphodelus tenuifolius</i> Cav.	Seed
146.	<i>Aspidosperma quebracho</i> Blanco Schwlcht	Bark
147.	<i>Astacus fluviatilis</i> Fabricius	Whole animal
148.	<i>Asteracantha longifolia</i> Nees	Whole plant
149.	<i>Asteracantha longifolia</i> Nees	Root
150.	<i>Asteracantha longifolia</i> Nees	Seed
151.	<i>Asterias rubens</i>	Entire animal
152.	<i>Atropa belladonna</i> L.	Whole Plant
153.	<i>Avena sativa</i> L.	Seeds
154.	<i>Averrhoa carambola</i> L.	Fruit
155.	<i>Azadirachta indica</i> (L.) A. Juss.	Leaf
156.	<i>Azadirachta indica</i> A. Juss	Root bark
157.	<i>Azadirachta indica</i> A. Juss	Flower
158.	<i>Azadirachta indica</i> A. Juss	Fruit
159.	<i>Azadirachta indica</i> A.Juss.	Stem Bark
160.	<i>Azadirachta indica</i> A. Juss. Syn. <i>Melia azadirachta</i> L.	Seeds
161.	<i>Azadirachta indica</i> A. Juss. Syn. <i>Melia azadirachta</i> L.	Gum
162.	<i>Azadirachta indica</i> A.Juss.	Fresh Bark
163.	<i>Bacopa monnieri</i> (L.) Wettst.	Whole plant
164.	<i>Baliospermum montanum</i> (Willd.)Muell.-Arg.	Root

165.	<i>Balsamodendron caudata</i> Mauch.	Leaf
166.	<i>Balsamum indicum nigrum</i> and <i>B. peruvianum nigrum</i>	Resin
167.	<i>Baptisia australis</i> (L.) R. Br.	Whole plant
168.	<i>Baptisia tinctoria</i> R. Br.	Root Bark
169.	<i>Baringtonia acutangula</i> (L.) Gaertn.	Fruit
170.	<i>Barlaria prionitis</i> L.	Whole plant
171.	<i>Barleria strigosa</i> Willd.	Root
172.	<i>Barosma crenulata</i> (L.) Hook.	Leaf
173.	<i>Barosma serratifolia</i> (Curtie) Wild.	Leaves
174.	<i>Bauhinia racemosa</i> Lam. Syn. <i>Bauhinia parviflora</i> Vahl.	Stem Bark
175.	<i>Bauhinia racemosa</i> Lamk.	Flower
176.	<i>Bauhinia variegata</i> Blume	Stem bark
177.	<i>Bellis perennis</i> L.	Whole Plant
178.	<i>Benincasa hispida</i> (Thunb.) Cogn.	Fruit
179.	<i>Benincasa hispida</i> Thunb.	Seeds
180.	<i>Berberis aquifolium</i> Pursh.	Root
181.	<i>Berberis aristata</i> DC.	Stem
182.	<i>Berberis aristata</i> DC.	Fruit
183.	<i>Berberis vulgaris</i> L.	Bark of Root
184.	<i>Bergenia ciliata</i> (Haw.) Sternb.	Rhizome
185.	<i>Beta vulgaris</i> L.	Root
186.	<i>Betula alba</i> L.	Leaves
187.	<i>Betula utilis</i> D. Don	Stem bark
188.	<i>Bixa orellana</i> L.	Seeds
189.	<i>Blepharis persica</i> (Burm.f.) O. Kuntze	Seed
190.	<i>Blumea obovata</i> DC.	Whole plant excluding root
191.	<i>Boerhaavia diffusa</i> L.	Root
192.	<i>Boerhaavia diffusa</i> L.	Whole Plant
193.	<i>Bombax ceiba</i> L.	Stem Bark
194.	<i>Borago officinalis</i> L.	Leaf
195.	<i>Borago officinalis</i> L.	Flower
196.	<i>Borassus flabellifer</i> L.	Inflorescence
197.	<i>Borhaavia verticillata</i> Poir	Root
198.	<i>Boswellia serrata</i> Roxb.	Exudate
199.	<i>Brachyglottis repens</i> Forest	Leaf with flower
200.	<i>Brassica alba</i> Bois.	Ripe Seeds
201.	<i>Brassica campestris</i> L.	Seeds
202.	<i>Brassica nigra</i> (L.) Koch	Ripe Seeds
203.	<i>Brassica oleracea</i> L. var. <i>capitata</i> L.	Leafy bud
204.	<i>Brassica rapa</i> L.	Dried seeds
205.	<i>Brassica rapa</i> L.	Dried sliced pieces of tuber
206.	<i>Bryonia alba</i> L.	Root
207.	<i>Bryonia cretica</i> L. sub sp. <i>dioica</i> (Jacq.) Tutin	Root
208.	<i>Buchanania lanzan</i> Spreng.	Stem bark
209.	<i>Buchanania lanzan</i> Spreng.	Seed
210.	<i>Butea monosperma</i> (Lam.) Kuntze	Stem bark

211.	<i>Butea monosperma</i> (Lam.) Kuntze	Gum
212.	<i>Butea monosperma</i> (Lam.) Kuntze	Seed
213.	<i>Butea monosperma</i> (Lam.) Kuntze	Flower
214.	<i>Caesalpina sappan</i> L.	Heart wood
215.	<i>Caesalpinia bonduc</i> (L.) Roxb.	Seed
216.	<i>Caesalpinia crista</i> L.	Stem bark
217.	<i>Cajanus cajan</i> (L.) Millsp.	Root
218.	<i>Cajanus cajan</i> L.	Seed
219.	<i>Caladium seguinum</i> Vent	Whole plant
220.	<i>Calamus rotang</i> L.	Rhizome
221.	<i>Calamus thwaitesii</i> Becc.	Rhizome
222.	<i>Calendula officinalis</i> L.	Fresh flowering top and leaf
223.	<i>Callicarpa macrophylla</i> Vahl.	Inflorescence
224.	<i>Callicarpa macrophylla</i> Vahl.	Fruit
225.	<i>Calluna vulgaris</i> (L.) Hull	Shoot
226.	<i>Calotropis gigantea</i> (L.) R. Br.	Root
227.	<i>Calotropis gigantia</i> R.Br.	Latex
228.	<i>Calotropis procera</i> (Ait.) R.Br.	Leaf
229.	<i>Calotropis procera</i> (Ait.) R. Br.	Root
230.	<i>Calotropis procera</i> (Ait.) R. Br.	Stem bark
231.	<i>Calotropis procera</i> (Ait.) R. Br.	Root Bark
232.	<i>Calotropis procera</i> Ait. R.Br. Syn. <i>Calotropis hamiltoni</i> Wall	Flower
233.	<i>Caltha palustris</i> L.	Whole plant
234.	<i>Calycopteris floribunda</i> Lam.	Leaf
235.	<i>Calycopteris floribunda</i> Lam.	Root
236.	<i>Calycopteris floribunda</i> Lam.	Stem
237.	<i>Camellia sinensis</i> L. Kuntz.	Green leaf
238.	<i>Canna flaccida</i> Salisb.	Leaf
239.	<i>Cannabis sativa</i> L.	Leaf
240.	<i>Cannabis sativa</i> L.	Flowering tops of male and female
241.	<i>Capparis horrida</i> L.	Fruit
242.	<i>Capparis spinosa</i> L.	Root
243.	<i>Capsella bursa pastoris</i> Moench.	Whole plant
244.	<i>Capsicum annum</i> L.	Ripe fruit
245.	<i>Cardiospermum halicacabum</i> L.	Root
246.	<i>Cardiospermum halicacabum</i> L.	Seed
247.	<i>Cardiospermum helicacabum</i> L.	Aerial part
248.	<i>Careya arborea</i> Roxb.	Seed
249.	<i>Carica papaya</i> L.	Fruit
250.	<i>Carica papaya</i> L.	Root
251.	<i>Carica papaya</i> L.	Green unripe fruit excluding seeds
252.	<i>Carissa carandas</i> L.	Stem bark
253.	<i>Carissa carandas</i> L.	Root
254.	<i>Carthamus tinctorius</i> L.	Fruit
255.	<i>Carthamus tinctorius</i> L.	Leaf
256.	<i>Carthamus tinctorius</i> L.	Flower

257.	<i>Carum carvi</i> L.	Fruit
258.	<i>Cassia absus</i> L.	Seed
259.	<i>Cassia angustifolia</i> Vahl. Syn. <i>C. senna</i> L.	Leaflet
260.	<i>Cassia fistula</i> L.	Fruit Pulp
261.	<i>Cassia fistula</i> L.	Stem bark
262.	<i>Cassia sophera</i> L.	Root
263.	<i>Cassia tora</i> L. Syn. <i>Cassia obtusifolia</i> L.	Seed
264.	<i>Castanea sativa</i> Mill.	Leaves
265.	<i>Castor fiber</i> L.	Follicles
266.	<i>Catharanthus roseus</i> L.	Whole plant
267.	<i>Caulophyllum thalictroides</i> (L.) Michx.	Rhizome
268.	<i>Caulophyllum thalictroides</i> Michx	Rhizome, including root
269.	<i>Ceanothus americanus</i> L.	Leaves
270.	<i>Cedrela toona</i> Roxb.	Stem bark
271.	<i>Cedrus deodara</i> (Roxb.) Loud.	Heart wood
272.	<i>Celastrus paniculatus</i> Willd.	Seed
273.	<i>Celosia argentea</i> L.	Seed
274.	<i>Centaurea behen</i> L.	Dried roots
275.	<i>Centaurium chielense</i> (Pers.) Druce.	Whole plant when in flower
276.	<i>Centella asiatica</i> (L.) Urban.	Whole plant
277.	<i>Centipeda minima</i> L. Syn. <i>C. orbicularis</i> Lour.	Dried whole plant
278.	<i>Centratherum anthelminticum</i> (L.) Kuntze	Fruit
279.	<i>Centratherum anthelminticum</i> Kuntz.	Seed
280.	<i>Cephaelis ipecacuanha</i> (Brot) A.Rich.	Roots
281.	<i>Cephalandra indica</i> Nand.	Leaf
282.	<i>Ceratonia siliqua</i> L.	Fruit
283.	<i>Cereus bonaplandi</i> Parm ex Pfeiff	Stem
284.	<i>Cereus grandiflorus</i> Mill	Flower stems
285.	<i>Cetraria islandica</i> (L.) Ach.	Whole lichen
286.	<i>Chamaerium luteum</i> (L.) A. Gray	Rhizome and root
287.	<i>Cheiranthus cheiri</i> L.	Whole plant
288.	<i>Chelidonium majus</i> L.	Whole Plant
289.	<i>Chelone glabra</i> L.	Whole plant
290.	<i>Chenopodium anthelminticum</i> L.	Whole Plant
291.	<i>Chimaphila maculata</i> Pursh.	Whole fresh plant
292.	<i>Chimaphila umbellata</i> (L.) Nutt.	Whole Plant
293.	<i>Chionanthus virginicus</i> L.	Bark
294.	<i>Chlorophytum arundinaceum</i> Baker	Root
295.	<i>Chondrodendron tomentosum</i> Ruiz et. Pav.	Root
296.	<i>Chrysanthemum indicum</i> L.	Leaf
297.	<i>Cicer arietinum</i> L.	Whole plant
298.	<i>Cichorium intybus</i> L.	Seed
299.	<i>Cichorium intybus</i> L.	Root
300.	<i>Cicuta maculata</i> L.	Root
301.	<i>Cicuta virosa</i> L.	Root
302.	<i>Cimicifuga racemosa</i> Nutt.	Rhizome
303.	<i>Cinchona officinalis</i> L.	Bark

304.	<i>Cinnamimum zeylanicum</i> Blume	Bark
305.	<i>Cinnamomum cassia</i> Blume. Syn. <i>Cinnamomum aromaticum</i> Nees & Eberm.	Dried leaves
306.	<i>Cinnamomum cassia</i> Blume. Syn. <i>Cinnamomum aromaticum</i> Nees & Eberm.	Dried stem bark
307.	<i>Cinnamomum tamala</i> (Buch.- Ham.) Nees & Eberm.	Leaf
308.	<i>Cissampelos pareira</i> L.	Root
309.	<i>Cissus quadrangularis</i> L.	Aerial part
310.	<i>Cissus quadrangularis</i> L.	Stem
311.	<i>Citrobacter freundii</i> Verkman and Gillen	--
312.	<i>Citrullus colocynthis</i> (L.) Schrad.	Unripe Fruit
313.	<i>Citrullus colocynthis</i> Sch.	Pulp of fruit, rejecting seeds
314.	<i>Citrullus colocynthis</i> Schard	Fruit Pulp
315.	<i>Citrullus colocynthis</i> Schard. Syn. <i>Cucumis</i> <i>colocynthis</i> L.	Root
316.	<i>Citrullus colocynthis</i> Schrad.	Leaf
317.	<i>Citrullus colocynthis</i> Schrad.	Fruit
318.	<i>Citrus limon</i> (L.) Burm. f.	Fresh fruit
319.	<i>Citrus medica</i> L.	Fresh fruit
320.	<i>Citrus medica</i> L.	Dried pericarp
321.	<i>Citrus reticulate</i> Blanco.	Dried flowers
322.	<i>Citrus reticulate</i> Blanco.	Rind fruit
323.	<i>Citrus vulgaris</i> Risso	Fruit peel (with oil glands which are present below the epidermis).
324.	<i>Claviceps purpurea</i> (Fries) Tul.	Whole fungus freshly dried in coarse powder
325.	<i>Clematis erecta</i> L.	Leaf and stem
326.	<i>Cleome gynandra</i> L.	Seed
327.	<i>Clerodendron infortunatum</i> Gaertn	Leaf
328.	<i>Clerodendrum phlomidis</i> L.	Root
329.	<i>Clerodendrum serratum</i> (L.) Moon.	Root
330.	<i>Clerodendrum viscosum</i> Vent	Leaf
331.	<i>Clitoria ternatea</i> L.	Root
332.	<i>Clitoria ternatea</i> L.	Leaf
333.	<i>Cnicus benedictus</i> L.	Whole plant
334.	<i>Coccinia grandis</i> (L.) Voigt	Leaf
335.	<i>Coccinia grandis</i> (L.) Voigt	Stem
336.	<i>Coccinia grandis</i> (L.) Voigt Syn. <i>Coccinia indica</i> W. & A.	Whole plant
337.	<i>Cochlearia armoracia</i> L.	Root
338.	<i>Cochlospermum religiosum</i> L.	Gum
339.	<i>Cocos nucifera</i> L.	Endosperm
340.	<i>Coffea arabica</i> L.	Seeds
341.	<i>Coix lachryma-jobi</i> L.	Root
342.	<i>Cola accuminata</i> Schoot.	Nut
343.	<i>Colchicum autumnale</i> L.	Corm/bulb
344.	<i>Coldenia procumbens</i> L.	Whole plant
345.	<i>Coleus amboinicus</i> Lour.	Leaf

346.	<i>Coleus forskohlii</i> Briq.	Root
347.	<i>Collinsonia canadensis</i> L.	Rhizome
348.	<i>Collinsonia canadensis</i> L.	Rhizome and root
349.	<i>Commiphora myrrha</i> (Nees) Engl. Syn. <i>Balsamodendron Myrrha</i> T. Nees	Gum-resin
350.	<i>Commiphora wightii</i> Arn.	Exudate
351.	<i>Comocladia dentata</i> Jacq.	Leaf and bark
352.	<i>Conium maculatum</i> L.	Whole Plant
353.	<i>Convallaria majalis</i> L.	Whole plant
354.	<i>Convolvulus pluricaulis</i> Choisy	Whole plant
355.	<i>Copaifera landdorfi</i> Desf.	Oleo-resin
356.	<i>Corallium rubrum</i>	Exoskeleton
357.	<i>Corallocarpus epigaeus</i> Benth ex Hook. f.	Tuberous Root
358.	<i>Cordia dichotoma</i> Forst. f.	Fruit
359.	<i>Cordia dichotoma</i> Forst. f.	Stem bark
360.	<i>Coriandrum sativum</i> L.	Fruit
361.	<i>Cornus circinata</i> L Herit	Bark
362.	<i>Cornus florida</i> L.	Bark
363.	<i>Corylus avellana</i> L.	Fruit
364.	<i>Coscinium fenestratum</i> (Gaertn.) Colebr.	Root & Stem
365.	<i>Costus speciosus</i> Koerning ex Retz.	Rhizome
366.	<i>Cotyledon umbilicus</i> L.	Leaf
367.	<i>Crataegus oxyacantha</i> L.	Berries
368.	<i>Crataeva nurvala</i> Buch.-Ham.	Stem bark
369.	<i>Crateva magna</i> (Lour.) DC	Stem Bark
370.	<i>Crocus sativus</i> L.	Style & Stigma
371.	<i>Crotalaria juncea</i> L.	Seed
372.	<i>Crotalus horridus</i> Daud.	Venom
373.	<i>Crotalus mutus</i>	Venom
374.	<i>Croton eluteria</i> Benn.	Bark
375.	<i>Croton tiglium</i> L.	Seed
376.	<i>Croton tiglium</i> L.	Oil from Seed
377.	<i>Cryptolepis buchananii</i> Roem. & Schult.	Root
378.	<i>Cucumis melo</i> Var. <i>utilissimus</i> Duthie & F.	Seeds
379.	<i>Cucumis sativus</i> L.	Seed
380.	<i>Cucurbita moschata</i> Duch. ex Lam.	Kernel
381.	<i>Cucurbita pepo</i> L.	Seed
382.	<i>Cuminum cyminum</i> L.	Fruit
383.	<i>Cuphea viscosissima</i> Jacq.	Whole plant
384.	<i>Cupressus sempervirens</i> L.	Leafy twigs and unripe cones
385.	<i>Curculigo orchioides</i> Gaertn.	Tuberous Root
386.	<i>Curcuma amada</i> Roxb.	Rhizome
387.	<i>Curcuma longa</i> L.	Rhizome
388.	<i>Curcuma zedoaria</i> Rose.	Rhizome
389.	<i>Cuscuta reflexa</i> L. Syn. <i>Cuscuta grandiflora</i> Wall., <i>C. verucosa</i> Sweet.	Seed
390.	<i>Cuscuta reflexa</i> Roxb.	Whole Plant
391.	<i>Cyclamen europaeum</i> L.	Root

392.	<i>Pistacia</i> <i>Pistacia</i> <i>Pistacia oblonga</i> Mill.	Fruit
393.	<i>Cydonia oblonga</i> Mill. Syn. <i>Cydonia vulgaris</i> Pers., <i>Pyrus cydonia</i> L. (Rosaceae)	Seed
394.	<i>Cymbopogon citrates</i> (DC.) Stapf.	Whole plant
395.	<i>Cymbopogon martinii</i> (Roxb.) Wats	Whole Plant
396.	<i>Cynara scolymus</i> L.	Whole plant
397.	<i>Cynodon dactylon</i> (L.) Pers.	Whole Plant
398.	<i>Cynodon dactylon</i> L.	Root
399.	<i>Cyperus rotundus</i> L.	Rhizome
400.	<i>Cyripedium pubescens</i> Willd.	Rhizome
401.	<i>Cytisus laburnum</i> L.	Flowers and young leaves
402.	<i>Dactylopius coccus</i> Costa	Dried female insect
403.	<i>Dalbergia sissoo</i> Roxb	Heart wood
404.	<i>Dalbergia sissoo</i> Roxb.	Stem bark
405.	<i>Daphne indica</i> Hook and Arn.	Bark of branches
406.	<i>Daphne mezereum</i> L.	Bark
407.	<i>Datisca cannabina</i> L.	Aerial parts while flowering
408.	<i>Datura arborea</i> L.	Flower
409.	<i>Datura metel</i> L.	Seed
410.	<i>Datura metel</i> L.	Whole plant
411.	<i>Datura stramonium</i> L.	Whole Plant
412.	<i>Daucus carota</i> L.	Root
413.	<i>Daucus carota</i> L.	Seed
414.	<i>Delphinium denudatum</i> Wall.	Root
415.	<i>Delphinium staphisagria</i> L.	Seeds
416.	<i>Dendrophthoe falcata</i> (L. f.) Ettingsh.	Leaf
417.	<i>Dendrophthoe falcata</i> (L. f.) Ettingsh.	Stem
418.	<i>Dendrophthoe falcata</i> (L. f.) Ettingsh.	Aerial root
419.	<i>Dendrophthoe falcata</i> (L. f.) Ettingsh.	Flower
420.	<i>Dendrophthoe falcata</i> (L. f.) Ettingsh.	Fruit
421.	<i>Desmodium gangeticum</i> DC.	Root
422.	<i>Desmodium gangeticum</i> DC.	Whole plant
423.	<i>Desmostachya bipinnata</i> Stapf.	Root stock
424.	<i>Digitalis purpurea</i> L.	Leaves of 2 nd Year
425.	<i>Dioscorea bulbifera</i> L.	Rhizome
426.	<i>Dioscorea villosa</i> L.	Rhizome
427.	<i>Diospyros sexsculpta</i> Buch.-Ham	Stem bark
428.	<i>Diospyros peregrina</i> Gurke	Fruit
429.	<i>Dipteryx odorata</i> Willd.	Seed
430.	<i>Dirca palustris</i> L.	Inner bark of stem
431.	<i>Dorema ammoniacum</i> Don.	Oleogum resin
432.	<i>Doronicum hookeri</i> C.B. Clarke	Rhizome
433.	<i>Draba verna</i> L.	Whole plant
434.	<i>Dracaena cinnabari</i> Balf. f.	Exudate
435.	<i>Drosera rotundifolia</i> L.	Whole Plant
436.	<i>Dryopteris filix-mas</i> (L.) Schott.	Rhizome
437.	<i>Duboisia myoporoides</i> R. Br.	Leaf

438.	<i>Echallium elaterium</i> A. Rich.	Sediment from the juice of green mature fruit prepared by the method mentioned under Preparation.
439.	<i>Echinacea angustifolia</i> DC.	Whole Plant
440.	<i>Echinacea purpurea</i> (L.) Moench.	Whole plant
441.	<i>Echinocactus williamsii</i> Lem.	Whole plant
442.	<i>Eclipta alba</i> Hassk.	Whole plant
443.	<i>Eichhornia crassipes</i> (Mart.) Solms.	Whole plant
444.	<i>Elaeis guinensis</i> Jacq	Ripe fruit
445.	<i>Elaeocarpus sphaericus</i> (Gaertn.) K. Schum	Seed
446.	<i>Elaps corallinus</i>	Venom
447.	<i>Elettaria cardamomum</i> (L.) Maton.	Fruit
448.	<i>Eleusine corocana</i> (L.) Gaertn.	Root
449.	<i>Embelia ribes</i> Burm.f.	Fruit
450.	<i>Emblica officinalis</i> Gaertn.	Fresh Pericarp
451.	<i>Emblica officinalis</i> Gaertn.	Dried Pericarp
452.	<i>Enicostemma axillare</i> (Lam.) A. Raynal.	Whole plant
453.	<i>Enicostemma axillare</i> (Lam.) A. Raynal.	Whole Plant
454.	<i>Epeira diadema</i>	Whole Spider
455.	<i>Ephedra gerardiana</i> Wall.	Stem
456.	<i>Epiphagus virginiana</i> (L.) Bart.	Whole plant
457.	<i>Equisetum hyemale</i> L.	Whole Plant
458.	<i>Erechthites hieracifolia</i> L.	Whole plant
459.	<i>Erigeron candensis</i> L.	Whole plant
460.	<i>Eriodictyon glutinosum</i> Benth.	Leaves
461.	<i>Erodium cicutarium</i> (L.) L'Her.	Whole plant
462.	<i>Eryngium aquaticum</i> L.	Root
463.	<i>Erythrina indica</i> Lam.	Stem bark
464.	<i>Erythroxylum coca</i> Lamasck.	Leaves
465.	<i>Escherichia coli</i> Castellani and Chalmers	--
466.	<i>Eschscholtzia californica</i> Cham.	Whole plant
467.	<i>Eucalyptus globulus</i> Lab.	Leaf
468.	<i>Eugenia caryophyllata</i> Thunb.	Flower bud
469.	<i>Euonymus atropurpureus</i> Jacq.	Bark
470.	<i>Euonymus europaeus</i> L.	Seed
471.	<i>Eupatorium aromaticum</i> L.	Root
472.	<i>Eupatorium perfoliatum</i> L.	Leaves and flowers
473.	<i>Eupatorium purpureum</i> L.	Root
474.	<i>Euphorbia corollata</i> L.	Root
475.	<i>Euphorbia cyparissias</i> L.	Whole plant
476.	<i>Euphorbia dracunculoides</i> Lam.	Whole plant
477.	<i>Euphorbia hirta</i> L.	Whole plant
478.	<i>Euphorbia neriifolia</i> L.	Stem
479.	<i>Euphorbia nivulia</i> Buch.- Ham.	Latex
480.	<i>Euphorbia prostrata</i> W. Ait.	Whole Plant
481.	<i>Euphorbia resinifera</i> Berg.	Dried resinous latex
482.	<i>Euphorbia royleana</i> Bioss.	Fresh latex

483.	<i>Euphorbia royleana</i> Bioss.	Leaves
484.	<i>Euphrasia officinalis</i> L.	Whole Plant
485.	<i>Exogonium purga</i> (Wenderth) Benth.	Root
486.	<i>Fabiana imbricata</i> Ruiz. & Pav.	Leafy twig
487.	<i>Fagonia cretica</i> L.	Whole Plant
488.	<i>Fagopyrum esculentum</i> Moench.	Whole plant when mature
489.	<i>Feronia linonia</i> (L.) Swingle	Fruit pulp
490.	<i>Ferula asafoetida</i> L.	Gum resin
491.	<i>Ferula jaeschkeana</i> Vatke	Leaf
492.	<i>Ferula sumbul</i> Hook.f.	Root
493.	<i>Ficus arnottiana</i> Miq.	Root
494.	<i>Ficus bengalensis</i> L.	Stem bark
495.	<i>Ficus bengalensis</i> L.	Aerial Root
496.	<i>Ficus carica</i> L.	Fruit
497.	<i>Ficus hispida</i> L.	Fruit
498.	<i>Ficus hispida</i> L.	Root
499.	<i>Ficus hispida</i> L.	Stem Bark
500.	<i>Ficus lacor</i> Buch. –Ham.	Stem bark
501.	<i>Ficus lacor</i> Buch. -Ham.	Fruit
502.	<i>Ficus racemosa</i> L.	Stem bark
503.	<i>Ficus religiosa</i> L.	Tender leaf
504.	<i>Ficus religiosa</i> L.	Bark
505.	<i>Filipendula ulmaria</i> (L.) Maxim.	Shoot with flower
506.	<i>Flacourtia indica</i> (Burm.f.) Merr.	Fruit
507.	<i>Flacourtia indica</i> Merr.	Leaf
508.	<i>Flacourtia indica</i> Merr.	Stem bark
509.	<i>Foeniculum vulgare</i> L.	Fruit
510.	<i>Fraxinus americana</i> L.	Inner bark
511.	<i>Fritillaria royelei</i> Hook.	Bulb
512.	<i>Fucus vesiculosus</i> L.	Whole Plant
513.	<i>Fumaria parviflora</i> Lam.	Whole Plant
514.	<i>Galega officinalis</i> L.	Whole plant
515.	<i>Galipea officinalis</i> Hancock	Bark
516.	<i>Galphimia glauca</i> Cav.	Dried Leaves and blossoms
517.	<i>Garcinia gummi-gutta</i> (L.) Roxb.	Fruit
518.	<i>Garcinia morella</i> Desr.	Gum Resin
519.	<i>Garcinia pedunculata</i> Roxb.	Fruit rind
520.	<i>Gardenia gummifera</i> L. f.	Exudate
521.	<i>Gaultheria procumbens</i> L.	Leaf
522.	<i>Gelsemium sempervirens</i> (L.) J.St.- HiL.	Rhizome
523.	<i>Gentiana cruciata</i> L.	Root
524.	<i>Gentiana kurroo</i> Royle	Rhizome
525.	<i>Gentiana lutea</i> L.	Rhizomes and Root
526.	<i>Gentiana olivieri</i> Griseb. Syn. <i>G. dahurica</i> Fisch.	Dried flowers
527.	<i>Gentiana tinctoria</i> L.	Whole plant
528.	<i>Geranium maculatum</i> L.	Root
529.	<i>Ginkgo biloba</i> L.	Fresh leaves (during spring)
530.	<i>Gisekia pharnaceoides</i> L.	Leaf

531.	<i>Glinus lotoides</i> L.	Whole plant
532.	<i>Gloriosa superba</i> L.	Tuberous root
533.	<i>Glycosmis pentaphylla</i> (Retz.) Corroa.	Mature leaf
534.	<i>Glycosmis pentaphylla</i> Correa	Root
535.	<i>Glycyrrhiza glabra</i> L.	Stolon & Root
536.	<i>Gmelina arborea</i> L.	Stem bark
537.	<i>Gmelina arborea</i> Roxb.	Root bark
538.	<i>Gmelina arborea</i> Roxb.	Fruit
539.	<i>Gmelina arborea</i> Roxb.	Stem
540.	<i>Gnaphalium polycephalum</i> Michx.	Whole plant
541.	<i>Gossypium herbaceum</i> L.	Seed
542.	<i>Gossypium herbaceum</i> L.	Inner bark of root
543.	<i>Gratiola officinalis</i>	Whole plant
544.	<i>Grewia tenax</i> (Forsk.) Aschers & Schwf.	Stem bark
545.	<i>Grindelia camporum</i> Green.	Leaves and flowering top
546.	<i>Grindelia caporum</i> Green.	Leaves and Flowering tops
547.	<i>Guaiacum officinale</i> and <i>G. sanctum</i> L.	Resin
548.	<i>Guarea trichiloides</i> L.	Bark
549.	<i>Gymnema sylvestre</i> R. Br.	Root
550.	<i>Gymnema sylvestre</i> R. Br.	Leaf
551.	<i>Gymnoeladus dioica</i> (L.) Koch.	Pulp surrounding the seed
552.	<i>Habenaria intermedia</i> D. Don.	Tuber
553.	<i>Haematoxylon campechianum</i> L.	Heart Wood
554.	<i>Hagenia abyssinica</i> (Bruce) Gmelin.	Flower
555.	<i>Hamamelis virginiana</i> L.	Bark of twig and root
556.	<i>Hamamelis virginica</i> L.	Stem and Root bark
557.	<i>Haplopappus baylahuen</i> Remy.	Dries leaves
558.	<i>Haronga madagascariensis</i> Choisy	Leaf and stem bark
559.	<i>Heacra helix</i> L.	Flowering branch
560.	<i>Hedychium spicatum</i> Ham. ex. Smith	Rhizome
561.	<i>Helianthemum canadense</i> Mich.	Whole plant
562.	<i>Helianthus annuus</i> L.	Mature flower head
563.	<i>Helicteres isora</i> L.	Dried fruits
564.	<i>Heliotropium indicum</i> L.	Whole plant
565.	<i>Helleborus niger</i> L.	Rhizome
566.	<i>Hemidesmus indicus</i> (L.) R. Br.	Root
567.	<i>Heracleum sphondylim</i> L.	Whole plant
568.	<i>Herniaria glabra</i> L.	Whole plant
569.	<i>Hibiscus abelmoschus</i> L.	Seed
570.	<i>Hibiscus sabdariffa</i> L.	Root
571.	<i>Hippomane mancinella</i> L.	Leaf, bark and fruit
572.	<i>Hiptage benghalensis</i> L.	Flower
573.	<i>Holarrhena antidysenterica</i> (Roth) A. DC.	Stem bark
574.	<i>Holoptelea integrifolia</i> Planch.	Fruit
575.	<i>Holorrhena antidysenterica</i> Wall.	Seed
576.	<i>Homarus gammarus</i>	Digestive fluid taken from behind the mouth of live lobster
577.	<i>Hordeum vulgare</i> L.	Fruit
578.	<i>Hordeum vulgare</i> L.	Whole plant

579.	<i>Humulus lupulus</i> L.	Catkin
580.	<i>Hydnocarpus pentandra</i> (Buch.- Ham.) Oken	Seed
581.	<i>Hydrangea arborescens</i> L.	Rhizome
582.	<i>Hydrastis canadensis</i> L.	Rhizome
583.	<i>Hyoscyamus niger</i> L.	Seed
584.	<i>Hyoscyamus niger</i> L.	Whole Plant
585.	<i>Hypericum perforatum</i> L.	Whole Plant
586.	<i>Hyssopus officinalis</i> L.	Flowers
587.	<i>Iberis amara</i> L.	Seed
588.	<i>Pterocirpus sanlallnus</i> L. f.	Heart Wood
589.	<i>Ilex aquifolium</i> L.	Leaf and fruit
590.	<i>Ilex paraguayensis</i> St. Hilaire.	Leaves
591.	<i>Illicium verum</i> HK.	Seeds
592.	<i>Illicium verum</i> Hook. f.	Fruit
593.	<i>Imperata cylindrica</i> (L.) Beauv.	Root
594.	<i>Indigofera aspalathoides</i> Vahl ex DC.	Root & Stem
595.	<i>Indigofera tinctoria</i> L.	Whole Plant
596.	<i>Indigofera tinctoria</i> L.	Root
597.	<i>Indigofera tinctoria</i> L.	Leaf
598.	<i>Inula helenium</i> L.	Rhizome and root
599.	<i>Inula racemosa</i> Hook. f.	Root
600.	<i>Ipomoea digitata</i> L.	Root
601.	<i>Ipomoea nil</i> L. Roth. Syn. <i>Ipomoea hederacea</i> Auct. non Jacq.	Seed
602.	<i>Iris ensata</i> Thunb.	Root
603.	<i>Iris germanica</i> L.	Rhizome
604.	<i>Iris versicolor</i> L.	Rhizome
605.	<i>Jacaranda caroba</i> DC.	Flower
606.	<i>Jasminum officinale</i> L.	Leaf
607.	<i>Jatropha curcas</i> L.	Seed
608.	<i>Jatropha glandulifera</i> Roxb.	Seed
609.	<i>Juglans cinerea</i> L.	Inner bark of root and branches
610.	<i>Juglans regia</i> L.	Fruit Kernal
611.	<i>Juglans regia</i> L.	Leaf and green unripe fruit
612.	<i>Juncus effusus</i> L.	Root stock and root
613.	<i>Juniperus communis</i> L.	Fruit
614.	<i>Juniperus sabina</i> L.	Stem and leaf
615.	<i>Kalmia latifolia</i> L.	Leaf
616.	<i>Krameria triandra</i> Ruiz et Pav.	Root
617.	<i>Lachnanthes tinctoria</i> Ell.	Whole plant
618.	<i>Lactuca virosa</i> L.	Whole plant
619.	<i>Lagenaria siceraria</i> (Mol.) Standl.	Fresh fruit
620.	<i>Lallemantia royleana</i> Benth.	Seed
621.	<i>Lamium album</i> L.	Leaf and flower
622.	<i>Larrea mexicana</i> Moric.	Leaf and young branches
623.	<i>Lathyrus sativus</i> L.	Seed
624.	<i>Lavandula angustifolia</i> Miller	Flower
625.	<i>Lavandula vera</i> DC.	Flowers

626.	<i>Lawsonia inermis</i> L.	Leaf
627.	<i>Ledum palustre</i> L.	Whole Plant
628.	<i>Lemna minor</i> L.	Whole plant
629.	<i>Lens culinaris</i> Medic.	Seed
630.	<i>Leonotis nepetaefolia</i> R. Br.	Root
631.	<i>Leonurus cardiaca</i> L.	Fresh whole plant
632.	<i>Leonurus cardiac</i> L.	Whole plant
633.	<i>Lepidium sativum</i> L.	Seed
634.	<i>Lepiota procera</i> (Fr.) S.F. Grey.	Whole fungus (Basidiocarp)
635.	<i>Leptadenia reticulata</i> W. & A.	Root
636.	<i>Lespedeza capitata</i> Michx.	Whole plant
637.	<i>Lespedeza sieboldii</i> Miq.	Aerial part
638.	<i>Leucas aspera</i> (Willd.) Link	Whole plant
639.	<i>Leucas cephalotes</i> Spreng.	Whole plant
640.	<i>Levisticum officinale</i> Koch.	Rhizome
641.	<i>Lilium polyphyllum</i> D. Don.	Tuberous root
642.	<i>Lilium tigrinum</i> Ker-Gawl.	Whole plant
643.	<i>Linaria vulgaris</i> Mill.	Whole plant
644.	<i>Linum usitatissimum</i> L.	Seed
645.	<i>Listea chinensis</i> Lam.	Stem bark
646.	<i>Listea chinensis</i> Lam.	Wood
647.	<i>Lobaria pulmonaria</i> (L) Haffim.	Whole lichen
648.	<i>Lobelia cardinalis</i> L.	Whole plant
649.	<i>Lobelia inflata</i> L.	Whole Plant excluding root
650.	<i>Lobelia syphilitica</i> L.	Whole plant
651.	<i>Lodoicea maldivica</i> Pers.	Endosperm
652.	<i>Loeselia coccinea</i> G. Don	Whole plant
653.	<i>Lolium temulentum</i> L.	Seed
654.	<i>Luffa acutangula</i> (L.) Roxb.	Whole plant
655.	<i>Luffa acutangula</i> Roxb.	Fruit
656.	<i>Luffa echinate</i> Roxb.	Fruit or whole plant and ripping fruit
657.	<i>Luffa purgans</i> Mart.	Fruit
658.	<i>Lycium barbarum</i> L.	Aerial part
659.	<i>Lycoperdon bovista</i> L.	Ripe Bovista fungus
660.	<i>Lycopersicum esculentum</i> Mill.	Whole plant
661.	<i>Lycopodium clavatum</i> L.	Spore
662.	<i>Lycopus virginicus</i> L.	Whole plant
663.	<i>Lytta vesicatoria</i> Fabricus	Dried fly
664.	<i>Madhuca indica</i> J.F.Gmel.	Flower
665.	<i>Magnolia grandiflora</i> L.	Flower
666.	<i>Mahonia aquifolium</i> (Pursh) Nutt.	Root
667.	<i>Malaxis acuminata</i> D. Don	Pseudo bulb
668.	<i>Mallotus philippinensis</i> Muell. Arg	Glands & Hair of fruit
669.	<i>Malva sylvestris</i> L.	Dried fruits
670.	<i>Malva sylvestris</i> L.	Dried flowers
671.	<i>Mandragora officinarum</i> L.	Dried roots
672.	<i>Mangifera indica</i> L.	Stem bark
673.	<i>Mangifera indica</i> L.	Seed

674.	<i>Maranta arundinacea</i> L.	Rhizome
675.	<i>Marsdenia condurango</i> Nichols.	Bark
676.	<i>Marsdenia tenacissima</i> Wight & Arn.	Root
677.	<i>Marticaria chamomilla</i> L.	Whole plant
678.	<i>Matricaria chamomilla</i> L.	Flower
679.	<i>Martynia annua</i> L.	Seed
680.	<i>Medicago sativa</i> L.	Whole plant excluding root
681.	<i>Melaleuca cajuputi</i> and <i>M. leucadendron</i> L.	Essential oil
682.	<i>Melia azedarach</i> L.	Stem bark
683.	<i>Melia azedarach</i> L.	Dried fruits
684.	<i>Melia azedarach</i> L.	Dried leaves
685.	<i>Melilotus alba</i> Desr.	Flowering top
686.	<i>Melilotus officinalis</i> L.	Flowering top
687.	<i>Mentha arvensis</i> L.	Leaf
688.	<i>Mentha piperita</i> L.	Whole Plant excluding root
689.	<i>Mentha spicata</i> L.	Whole plant
690.	<i>Mentha viridis</i> L.	Aerial Part
691.	<i>Menyanthes trifoliata</i> L.	Whole Plant
692.	<i>Mercurialis perennis</i> L.	Whole plant
693.	<i>Merremia tridentata</i> (L.) Hall.f.	Whole plant
694.	<i>Mesua ferrea</i> L.	Stamens
695.	<i>Michelia champaca</i> L.	Flower
696.	<i>Mikania amara</i> Willd.	Leaf
697.	<i>Mimosa pudica</i> L.	Whole plant
698.	<i>Mimosa pudica</i> L.	Root and flower
699.	<i>Mimusops elengi</i> L.	Dried flowers & buds
700.	<i>Mimusops elengi</i> L.	Dried ripe fruits
701.	<i>Mimusops kauki</i> (L.) Dub. Syn. <i>Manikara kauki</i>	Stem bark
702.	<i>Mitchella repens</i> L.	Whole plant
703.	<i>Mollugo cerviana</i> Ser.	Whole Plant
704.	<i>Momordica charantia</i> L.	Fresh Fruit
705.	<i>Momordica dioica</i> Roxb. ex Willd.	Root
706.	<i>Monochoria vaginalis</i> Presl.	Rhizome
707.	<i>Moringa oleifera</i> Lam	Leaf
708.	<i>Moringa oleifera</i> Lam.	Root bark
709.	<i>Moringa oleifera</i> Lam.	Seed
710.	<i>Moringa oleifera</i> Lam.	Stem bark
711.	<i>Moringa oleifera</i> Lam.	Whole plant
712.	<i>Moschus moschiferus</i> L.	Pure grain musk
713.	<i>Mucuna prurita</i> Hook.	Seed
714.	<i>Mucuna prurita</i> Hook.	Root
715.	<i>Mucuna prurita</i> Hook.	Hairs of Fruit
716.	<i>Murex brandaris</i>	Desiccated Juice
717.	<i>Murraya koenigii</i> (L.) Spreng	Leaf
718.	<i>Musa paradisiaca</i> L.	Rhizome
719.	<i>Musa paradisiaca</i> L.	Flower
720.	<i>Musa paradisiaca</i> L. Syn. <i>Musa sapientum</i> Kuntze.	Fresh unripe fruits

721.	<i>Myrica cerifera</i> L.	Bark of Roots
722.	<i>Myrica esculenta</i> Buch.	Stem bark
723.	<i>Myrica esculenta</i> Buch.	Fruit
724.	<i>Myristica fragrans</i> Houtt	Dried seed
725.	<i>Myristica fragrans</i> Houtt.	Aril
726.	<i>Myristica fragrans</i> Houtt.	Kernel
727.	<i>Myristica fragrans</i> Houtt.	Fruit
728.	<i>Myrrhis odorata</i> (L.) Scop.	Whole plant excluding root
729.	<i>Myrtilocactus geometrizzans</i> Console	Shoot
730.	<i>Myrtus communis</i> L.	Whole plant excluding root
731.	<i>Narcissus pseudo narcissus</i> L.	Whole plant
732.	<i>Nardostachys grandiflora</i> DC. Syn. <i>Nardostachys jatamansi</i> DC	Rhizome
733.	<i>Nasturtium officinale</i> R. Br.	Aerial part
734.	<i>Nelumbo nucifera</i> Gaertn.	Rhizome
735.	<i>Nelumbo nucifera</i> Gaertn.	Flower
736.	<i>Nepeta hindostana</i> (Roth.) Haines Syn. <i>N. ruderalis</i> Hook. f.	Leaf
737.	<i>Nerium indicum</i> Mill.	Leaf
738.	<i>Nerium indicum</i> Mill.	Root
739.	<i>Nicotiana tabacum</i> L.	Leaf
740.	<i>Nigella sativa</i> L.	Seed
741.	<i>Nuphar luteum</i> Sibth and Smith.	Rhizome
742.	<i>Nyctanthes arbortristis</i> L.	Leaves
743.	<i>Syzygium alba</i> L.	Flower
744.	<i>Nymphaea odorata</i> Soland	Root
745.	<i>Nymphaea nouchali</i> Burm.f. (syn. <i>N. stellata</i> Willd.)	Flower
746.	<i>Ocimum basilicum</i> L.	Aerial part
747.	<i>Ocimum canum</i> Sins.	Leaf
748.	<i>Ocimum oratissimum</i> L.	Whole plant
749.	<i>Ocimum sanctum</i> L.	Whole plant
750.	<i>Ocimum sanctum</i> L.	Leaf
751.	<i>Ocimum sanctum</i> L.	Seed
752.	<i>Ocimum sanctum</i> L.	Whole plant except root
753.	<i>Oenanthe crocata</i> L.	Root
754.	<i>Oenanthe phellandrium</i> Lamks.	Fruit
755.	<i>Oenothera biennis</i> L.	Whole plant
756.	<i>Oldenlandia corymbusa</i> L.	Whole plant
757.	<i>Ononis spinosa</i> L.	Root
758.	<i>Onosma bracteatum</i> Wall.	Aerial part
759.	<i>Onosma bracteatum</i> Wall.	Dried Leaf
760.	<i>Onosma hispidum</i> Wall. ex. D. Don. Syn. <i>O. echioides</i> C.B. Clarke non L.	Dried roots
761.	<i>Onosmodium virginianum</i> (L.) A.DC.	Root and seed
762.	<i>Operculina turpethum</i> L.	Root
763.	<i>Opuntia vulgaris</i> Mill.	Whole plant excluding root
764.	<i>Orchis latifolia</i> L.	Tuberous Root
765.	<i>Orchis mascula</i> L.	Dried root tubers

766.	<i>Origanum vulgare</i> L.	Whole plant
767.	<i>Origanum vulgare</i> L.	Whole plant with flower
768.	<i>Ornithogalum umbellatum</i> L.	Whole plant
769.	<i>Oroxylum indicum</i> Vent.	Root
770.	<i>Oryza sativa</i> L.	Root
771.	<i>Oryza sativa</i> L.	Fruit
772.	<i>Ougenia oojeinensis</i> (Roxb.) Hochr	Wood
773.	<i>Oxalis acetosella</i> L.	Aerial parts
774.	<i>Oxalis corniculata</i> L.	Whole plant
775.	<i>Oxytropis lamerti</i> Pursh	Whole plant excluding root
776.	<i>Paedaria foetida</i> L.	Whole plant
777.	<i>Paeonia emodi</i> Wall.	Dried roots tubers
778.	<i>Paeonia officinalis</i> L.	Root
779.	<i>Panaeolus campanulatus</i> (Fr.) Quelet.	Whole fungus (Basidiocarp)
780.	<i>Panax quinquefolius</i> L.	Root
781.	<i>Pandanus odoratissimus</i> L. f.	Stilt Root
782.	<i>Pandanus odoratissimus</i> L.	Ripe mature & dry spadices of male flowers
783.	<i>Pandanus tectorius</i> Soland. ex Parkinson	Root
784.	<i>Papaver somnifera</i> L.	Seed
785.	<i>Papaver somniferum</i> L.	Gummy Juice
786.	<i>Paris quadrifolia</i> L.	Whole plant
787.	<i>Parmelia perlata</i> (Huds.) Ach.	Lichen
788.	<i>Paronychia illecebroides</i> Webb.	Whole plant
789.	<i>Parthenium hysterophorous</i> L.	Whole plant
790.	<i>Parthenocissus quinquefolia</i> Planch	Bark and young twig
791.	<i>Paspalum scrobiculatum</i> L.	Grain
792.	<i>Passiflora incarnata</i> L.	Leaf
793.	<i>Pastinaca sativa</i> L.	Root
794.	<i>Pastinaca secacul</i> L.	Dried rhizome
795.	<i>Paullinia cupana</i> HB & Kunth.	Seed
796.	<i>Paullinia pinnata</i> L.	Root
797.	<i>Pausinystalia johimbe</i> K. Schum.	Bark
798.	<i>Pavetta indica</i> L.	Root
799.	<i>Pavonia odorata</i> Willd.	Whole plant
800.	<i>Peganum harmala</i> L.	Seed
801.	<i>Pennisetum typhoides</i> (Burm.f.) Stapf & C.E. Hubb.	Leaf base
802.	<i>Penthorum sedoides</i> L.	Whole plant
803.	<i>Pergularia daemia</i> (Forsskal) Choiv.	Whole plant
804.	<i>Perilla frutescens</i> (L.) Britt.	Aerial stem
805.	<i>Periplaneta americana</i> L.	Whole insect.
806.	<i>Peristrophe bicalyculata</i> (Retz.) Nees	Seed
807.	<i>Peristrophe bicalyculata</i> L.	Root
808.	<i>Persea americana</i> Mill.	Fruit
809.	<i>Petasites fragrans</i> Presl.	Whole plant
810.	<i>Petasites japonicus</i> F. Schm.	Whole plant
811.	<i>Petasites officinalis</i> Moench.	Aerial part
812.	<i>Peteroselinum crispum</i> (Mill) Mym.	Whole plant

813.	<i>Phaseolus radiatus</i> L.	Seed
814.	<i>Phaseolus vulgaris</i> L.	Dried ripe pod
815.	<i>Phoenix dactylifera</i> L.	Dried Fruit
816.	<i>Phoenix dactylifera</i> L.	Fruit
817.	<i>Phyla nodiflora</i> (L.) Greene	Whole Plant
818.	<i>Phyllanthus acidus</i> (L.) Skeels	Fruit
819.	<i>Phyllanthus amarus</i> Schum. & Thonn.	Whole Plant
820.	<i>Phyllanthus fraternus</i> Webst.	Root, Stem
821.	<i>Phyllanthus fraternus</i> Webst.	Root, Stem & leaves
822.	<i>Physalis alkekengi</i> L.	Fruit
823.	<i>Physeter catodon</i> L.	Secretion mass of intestine or liver or biliary origin
824.	<i>Physeter macrocephalus</i>	Sperm of whale
825.	<i>Physostigma venenosum</i> Balfous.	Seed
826.	<i>Phytolacca americana</i> L.	Root
827.	<i>Picrorhiza kurroa</i> Royle ex Benth.	Rhizome/Root
828.	<i>Picea nigra</i> L., <i>Abies nigra</i> L., <i>Pinus nigra</i> L.	Resin
829.	<i>Pilocarpus jaborandi</i> Holmes	Leaf
830.	<i>Pimpinella anisum</i> L.	Fruit
831.	<i>Pimpinella saxifraga</i> L.	Fresh root
832.	<i>Pinus gerardiana</i> Wall.	Kernel
833.	<i>Pinus palustris</i> Mill.	Oleo-resin
834.	<i>Pinus roxburghii</i> Sargent	Exudate
835.	<i>Pinus roxburghii</i> Sargent	Heart wood
836.	<i>Pinus roxburghii</i> Sargent	Root
837.	<i>Pinus sylvestris</i> L.	Young shoot
838.	<i>Piper betle</i> L.	Leaf
839.	<i>Piper cubeba</i> L.f.	Fruit
840.	<i>Piper longum</i> L.	Fruit
841.	<i>Piper longum</i> L.	Stem
842.	<i>Piper methysticum</i> Forst.	Rhizome
843.	<i>Piper nigrum</i> L.	Fruit
844.	<i>Piper retrofractum</i> Vahl.	Stem
845.	<i>Piscidia erythrina</i> L.	Root Bark
846.	<i>Pistacia chinensis</i> Bunge	Gall
847.	<i>Pistacialentiscus</i> L.	Resin
848.	<i>Pistacia vera</i> L.	Seeds
849.	<i>Pistia stratiotes</i> L.	Whole plant
850.	<i>Plantago lanceolata</i> L.	Leaf
851.	<i>Plantago major</i> L.	Whole Plant
852.	<i>Plantago major</i> L. Syn. <i>Plantago asiatica</i> L.	Seed
853.	<i>Plantago ovata</i> Forsk. Syn. <i>Plantago ispaghul</i> Roxb.	Seed
854.	<i>Plectranthus amboinicus</i> (Lour.) Spreng.	Leaf
855.	<i>Pluchea lanceolata</i> Oliver & Hiem.	Leaf
856.	<i>Plumbago indica</i> L.	Root
857.	<i>Plumbago zeylanica</i> L.	Root

858.	<i>Podophyllum peltatum</i> L.	Rhizome
859.	<i>Polygala senega</i> L.	Dried roots
860.	<i>Polygonatum cirrhifolium</i> Royle	Rhizome & Root
861.	<i>Polygonum bistorta</i> L. Syn. <i>P. paleaceum</i> Wall. ex Hook f.	Dried rhizome
862.	<i>Polygonum punctatum</i> Ell.	Whole plant
863.	<i>Polypodium vulgare</i> L.	Rhizome
864.	<i>Polyporus officianalis</i> Fries.	Whole fructification
865.	<i>Pongamia pinnata</i> (L.) Pierre	Root Bark
866.	<i>Pongamia pinnata</i> (L.) Pierre	Seed
867.	<i>Pongamia pinnata</i> (L.) Merr.	Root
868.	<i>Pongamia pinnata</i> (L.) Merr.	Stem bark
869.	<i>Pongamia pinnata</i> (L.) Merr.	Leaf
870.	<i>Populus candicans</i> Ait.	Buds collected in winter
871.	<i>Populus tremuloides</i> Michx.	Inner bark
872.	<i>Portulaca oleracea</i> L.	Whole Plant
873.	<i>Potentilla anserina</i> L.	Aerial part
874.	<i>Potentilla erecta</i> (L.) Rauschel.	Root
875.	<i>Pothos foetidus</i> Mich.	Root
876.	<i>Poumus boldus</i> Molin	Leaf
877.	<i>Prenanthes serpentaria</i> Pursh.	Whole fresh plant
878.	<i>Prosopis cineraria</i> Druce	Leaf
879.	<i>Prunus amygdalus</i> Batsch.var. <i>amara</i> (DC.)	Kernel of Ripe seeds
880.	<i>Prunus amygdalus</i> Batsch.	Seed
881.	<i>Prunus avium</i> L.	Root
882.	<i>Prunus avium</i> L.	Stem bark
883.	<i>Prunus cerasoides</i> D. Don.	Heart wood
884.	<i>Prunus laurocerasus</i> L.	Leaf
885.	<i>Prunus padus</i> L.	Leaf and bark
886.	<i>Prunus serotina</i> Ehrh.	Inner Bark
887.	<i>Prunus spinosa</i> L.	Flower bud just before flowering
888.	<i>Prunus virginiana</i> L.	Inner bark
889.	<i>Psoralea corylifolia</i> L.	Fruit
890.	<i>Psychotria ipecacuanha</i> Stokes	Root
891.	<i>Ptelea trifoliata</i> L.	Bark
892.	<i>Pterocarpus marsupium</i> Roxb.	Heart-wood
893.	<i>Pterocarpus marsupium</i> Roxb.	Stem bark
894.	<i>Pterocarpus santalinus</i> L.	Heart wood
895.	<i>Pueraria tuberosa</i> DC .	Tuber
896.	<i>Pulsatilla nigricans</i> L.	Whole Plant
897.	<i>Punica granatum</i> L.	Fresh Fruit
898.	<i>Punica granatum</i> L.	Fruit Rind
899.	<i>Punica granatum</i> L.	Leaf
900.	<i>Punica granatum</i> L.	Seed
901.	<i>Punica granatum</i> L.	Fresh Seed
902.	<i>Punica granatum</i> L.	Root Bark
903.	<i>Pyrus americana</i> Marsch.	Bark
904.	<i>Quassia amara</i> L.	Wood

905.	<i>Quercus infectoria</i> Oliv.	Gall
906.	<i>Quillaja saponaria</i> Molina	Bark
907.	<i>Ranunculus repens</i> L.	Whole plant
908.	<i>Ranunculos bulbosus</i> L.	Whole plant
909.	<i>Ranunculus acris</i> L.	Whole plant
910.	<i>Ranunculus sceleratus</i> L.	Whole plant excluding root
911.	<i>Raphanus sativus</i>	Seeds
912.	<i>Raphanus sativus</i>	Root
913.	<i>Raphanus sativus</i> L.	Whole plant
914.	<i>Rauwolfia serpentina</i> Benth. ex Kurze.	Root
915.	<i>Rhamnus californica</i> Eschscholz	Bark (gathered in spring or early summer and kept for at least one year before use)
916.	<i>Rhamnus catharticus</i> L.	Fruit
917.	<i>Rhamnus frangula</i> L.	Bark
918.	<i>Rhamnus purshiana</i> DC.	Bark
919.	<i>Rheum emodi</i> Wall.	Root
920.	<i>Rheum officinalies</i> Baillon.	Rhizome
921.	<i>Rhododendron chrysanthum</i> Pall.	Leaves and flower buds
922.	<i>Rhus coriaria</i> L.	Dried fruit
923.	<i>Rhus parviflora</i> Roxb	Aerial part
924.	<i>Rhus toxicodendron</i> L.	Leaf
925.	<i>Rhus venenata</i> DC.	Stem and leaf
926.	<i>Ricinus communis</i> L.	Seed
927.	<i>Ricinus communis</i> L.	Leaf
928.	<i>Ricinus communis</i> L.	Root
929.	<i>Ricinus communis</i> L.	Fresh leaf
930.	<i>Robinia pseudocacia</i> L.	Bark of root and stem
931.	<i>Rosa centifolia</i> L.	Flower
932.	<i>Rosa damascene</i> Mill.	Dried flowers
933.	<i>Rubia cordifolia</i> L.	Root
934.	<i>Rubia cordifolia</i> L.	Stem
935.	<i>Rumex acetosa</i> L.	Leaf
936.	<i>Rumex crispus</i> L.	Rhizome
937.	<i>Rumex maritimus</i> L. Syn. <i>R. palustris</i> Sm.	Seed
938.	<i>Rumex vesicarius</i> L.	Dried seeds
939.	<i>Ruta graveolens</i> L.	Leaf
940.	<i>Ruta graveolens</i> L.	Whole Plant
941.	<i>Sabal serrulata</i> Sch.	Ripe fruit
942.	<i>Saccharaum spontaneum</i> L.	Root stock
943.	<i>Saccharum bengalense</i> Retz.	Root
944.	<i>Saccharum officinarum</i> L.	Dried Stem
945.	<i>Saccharum officinarum</i> L.	Root stock
946.	<i>Salix alba</i> L.	Leaf
947.	<i>Salix caprea</i> L.	Flower
948.	<i>Salix nigra</i> Marshall	Bark
949.	<i>Salix purpurea</i> L.	Bark
950.	<i>Salmalia malabarica</i> (DC.) Schott. & Endl. Syn. <i>Bombax malabaricum</i> DC.	Gum

951.	<i>Salvadora persica</i> L.	Fruit
952.	<i>Salvadora persica</i> L.	Leaf
953.	<i>Salvadora persica</i> L.	Root Bark
954.	<i>Salvadora persica</i> L.	Root
955.	<i>Salvia haematodes</i> L.	Dried roots
956.	<i>Salvia officinalis</i> L.	Fresh leaves and flowering top
957.	<i>Sambucus canadensis</i> L.	Flower
958.	<i>Sambucus nigra</i> L.	Leaf and flower
959.	<i>Sanguinaria canadensis</i> L.	Rhizome
960.	<i>Santalum album</i> L.	Heart wood
961.	<i>Santalum album</i> L.	Oil
962.	<i>Santolina chamaecyparissus</i> L.	Whole plant
963.	<i>Saponaria officinalis</i> L.	Root
964.	<i>Saraca asoca</i> (Rosc.) DC. Willd.	Stem bark
965.	<i>Saraca indica</i> L.	Bark
966.	<i>Sarracenia purpurea</i> L.	Whole plant
967.	<i>Sassafras officinale</i> Nees. & Eberum.	Bark
968.	<i>Saussurea costus</i> (Falc.) Lipsch. Syn. <i>Saussurea lappa</i> CB. Clarke	Root
969.	<i>Schoenocaulon officinale</i> (Schltdl. & Cham) A. Gray ex Benth	Seed
970.	<i>Scindapsus officinalis</i> Schoott	Fruit
971.	<i>Scirpus kysoor</i> Roxb.	Rhizome
972.	<i>Scrophularia nodosa</i> L.	Whole plant
973.	<i>Scutellaria lateriflora</i> L.	Whole Plant excluding root
974.	<i>Sedum acre</i> L.	Whole plant
975.	<i>Selenicereus grandifloras</i> (L.) Britton & Rose	Flowering stem
976.	<i>Selinum candollei</i> DC.	Root
977.	<i>Selinum vaginatum</i> C.B. Clarke	Fruit
978.	<i>Selinum vaginatum</i> C.B. Clarke	Rhizome
979.	<i>Semecarpus anacardium</i> L.	Fruit
980.	<i>Semecarpus anacardium</i> L.f.	Resinous juice of Seed
981.	<i>Sempervivum tectorum</i> L.	Leaf
982.	<i>Senecio aureus</i> L.	Whole Plant
983.	<i>Senecio bicolor</i> (Willd.) subsp. <i>Cineraria</i> (DC.) Chater	Whole plant
984.	<i>Senecio cineraria</i> DC.	Whole plant
985.	<i>Senna alexandrina</i> Mill.	Leaf
986.	<i>Sesamum indicum</i> D.C. Syn. <i>S. orientale</i> L., <i>S. luteum</i> Retz.	Seed
987.	<i>Sesbania bispinosa</i> W. F. Wight	Root
988.	<i>Sesbania bispinosa</i> W.F.Wight	Stem
989.	<i>Sesbania sesban</i> (L.) Merr.	Leaf
990.	<i>Shorea robusta</i> Gaertn.	Heart wood
991.	<i>Sida rhombifolia</i> L.	Root
992.	<i>Siegesbeckia orientalis</i> L.	Whole plant
993.	<i>Silex regelii</i> Killip & C.V. Morton	Rhizome and root

994.	<i>Silphium laciniatum</i> L.	Whole plant
995.	<i>Silybum marianum</i> (L.) Gaertn.	Seeds
996.	<i>Simaba cedron</i> Planch	Seed
997.	<i>Sisymbrium irio</i> L.	Seed
998.	<i>Smilax aristolochaeifolia</i> Mill.	Root
999.	<i>Smilax china</i> L.	Tuberous root
1000	<i>Smilax ornata</i> Hook.f.	Rhizome and Root
1001	<i>Solanum anguivi</i> Lam.	Whole plant
1002	<i>Solanum indicum</i> L. Syn. <i>S. anguivi</i> Lam	Root
1003	<i>Solanum carolinense</i> L.	Whole plant
1004	<i>Solanum dulcamara</i> L.	Whole Plant
1005	<i>Solanum nigrum</i> L.	Whole plant
1006	<i>Solanum pseudocapsicum</i> L.	Fruit
1007	<i>Solanum surattense</i> Burm. f.	Whole plant
1008	<i>Solidago virgaurea</i> L.	Flowering top
1009	<i>Sphaeranthus indicus</i> L.	Leaf
1010	<i>Sphaeranthus indicus</i> L.	Whole plant
1011	<i>Sphaeranthus indicus</i> L.	Inflorescence
1012	<i>Spigelia marilandica</i> L.	Whole Plant
1013	<i>Spondias pinnata</i> (L. f.) Kurz	Stem bark
1014	<i>Spondias pinnata</i> (L. f.) Kurz.	Stem
1015	<i>Spongilla lacustris</i>	Whole Sponge
1016	<i>Stachys officinalis</i> Franch.	Whole plant excluding root
1017	<i>Stellaria media</i> (L.) Vill.	Whole plant
1018	<i>Stereospermum chelonoides</i> (L. f.) DC.	Stem bark
1019	<i>Stereospermum chelonoides</i> (L.f.) DC. Syn. <i>Stereospermum suaveolens</i> DC.	Root
1020	<i>Stillingia sylvatica</i> L.	Root
1021	<i>Streblus asper</i> Lour.	Stem bark
1022	<i>Strophanthus gratus</i> (Wall. et Hook.) Franchet	Seed
1023	<i>Strophanthus hispidus</i> DC.	Ripe Seeds
1024	<i>Strophanthus sarmentosus</i> DC.	Seed
1025	<i>Stropharia stercoraria</i> (Bull. ex Fr.) Quel.	Whole fungus
1026	<i>Strychnos ignatii</i> Berg.	Fruit
1027	<i>Strychnos malaccensis</i> Benth.	Bark
1028	<i>Strychnos nux-vomica</i> L.	Seed
1029	<i>Strychnos potatorum</i> L. f	Seed
1030	<i>Strychon toxifera</i> Sch. & Benth.	Resinous mass
1031	<i>Swertia chirata</i> Buch (Ham.)	Whole plant excluding root
1032	<i>Swertia chirata</i> Buch. Ham.	Whole plant
1033	<i>Swertia chirata</i> Ham.	Whole plant excluding root
1034	<i>Symphoricarpus racemosus</i> Auct.	Berry
1035	<i>Symphytum officinale</i> L.	Root
1036	<i>Symplocos racemosa</i> Roxb.	Stem bark
1037	<i>Symplocos racemosa</i> Roxb.	Dried stem bark
1038	<i>Synantherias syeatica</i> Schott Gen. Aocja	Tuber

1039	<i>Syzygium aromaticum</i> (L.) Merr. & L.M. Perry	Flower Bud
1040	<i>Syzygium cumini</i> (L.) Skeels	Seed
1041	<i>Syzygium cumini</i> (L.) Skeels	Stem bark
1042	<i>Talpa europea</i> L.	Dried pelts
1043	<i>Tamarindus indica</i> L.	Fruit Pulp
1044	<i>Tamarix gallica</i> L.	Gall
1045	<i>Tamus communis</i> L.	Root
1046	<i>Tanacetum vulgare</i> L.	Leaf and twig when in flower
1047	<i>Taraxacum officinale</i> Weber	Whole plant
1048	<i>Tarentula cubensis</i>	The entire living spider
1049	<i>Taxus baccata</i> L.	Leaf
1050	<i>Taxus baccata</i> L.	Twigs
1051	<i>Taxus wallichiana</i> Zucc.	Leaf
1052	<i>Tecomella undulata</i> (Sm.) Seem.	Stem bark
1053	<i>Tectona grandis</i> L. f.	Heart wood
1054	<i>Teramnus labialis</i> Spreng.	Whole plant
1055	<i>Terminalia arjuna</i> (Roxb.ex DC.) W.& A.	Stem Bark
1056	<i>Terminalia belerica</i> Wall.	Fruit
1057	<i>Terminalia belerica</i> Wall.	Pericarp
1058	<i>Terminalia chebula</i> (Gaertn.) Retz.	Semi-mature fruit
1059	<i>Terminalia chebula</i> Retz.	Pericarp
1060	<i>Teucrium marum</i> L.	Whole plant
1061	<i>Teucrium scorodonia</i> L.	Aerial parts
1062	<i>Theridion curassavicum</i> Walk.	Whole Spider
1063	<i>Thespesia populnea</i> (L.) Soland. ex Correa	Stem bark
1064	<i>Thuja occidentalis</i> L.	Leaves and twigs
1065	<i>Thymus serpyllum</i> L.	Whole plant
1066	<i>Thymus vulgaris</i> L.	Whole plant
1067	Thyroid gland	Domestic sheep
1068	<i>Tilia vulgaris</i> Hayne	Blossom (Young flower)
1069	<i>Tinospora codifolia</i> (Willd.) Miers. Ex. Hook. f. & Thoms.	Stem
1070	<i>Toddalia asiatica</i> (L.) Lam.	Whole plant
1071	<i>Trachyspermum ammi</i> (L.) Sprague ex Turril	Fruit
1072	<i>Tragia involucrata</i> L.	Whole plant
1073	<i>Trapa natans</i> L.	Dried Seed
1074	<i>Trianthema decandra</i> L.	Whole plant
1075	<i>Trianthema portulacastrum</i> L.	Root
1076	<i>Tribulus terrestris</i> L.	Whole plant
1077	<i>Tribulus terrestris</i> L.	Fruit
1078	<i>Tribulus terrestris</i> L.	Root
1079	<i>Trichosanthes bracteata</i> (Lam.) Voigt	Root
1080	<i>Trichosanthes dioica</i> Robx.	Root
1081	<i>Trifolium alexandricum</i> L.	Dried seeds
1082	<i>Trifolium pratense</i> L.	Flower
1083	<i>Trigonelia foenum-graecum</i> L.	Seed
1084	<i>Triosteum perfoliatum</i> L.	Fresh root

1085	<i>Triticum aestivum</i> L.	Seed Powder
1086	<i>Turnera diffusa</i> Willd var. <i>Aphrodisiaca</i> Vrb.	Whole plant
1087	<i>Tussilago farfara</i> L.	Whole plant
1088	<i>Tylophora indica</i> (Burm.f.) Merrill.	Leaf
1089	<i>Typha australis</i> Schum. and Thonn.	Rhizome & Fruit
1090	<i>Typha elephantina</i> Roxb.	Root
1091	<i>Typha latifolia</i> L.	Root stock
1092	<i>Typhonium trilobatum</i> Schott	Tuber
1093	<i>Ulex europaeus</i> L.	Seed
1094	<i>Ulmus fulva</i> Mischaux.	Inner Bark
1095	<i>Uraria picta</i> Desv.	Whole plant
1096	<i>Urginea maritima</i> (L.) Baker	Bulb
1097	<i>Urtica urens</i> L.	Whole plant
1098	<i>Usnea barbata</i> Heffm.	Entire lichen
1099	<i>Ustilago maydis</i> (DC) Cd.	Fungal galls
1100	<i>Vaccinium myrtillus</i> L.	Berry
1101	<i>Valeriana officinalis</i> L.	Rhizome
1102	<i>Valeriana officinalis</i> L.	Rhizome fresh
1103	<i>Valeriana wallichii</i> DC.	Rhizome
1104	<i>Vallisneria spiralis</i> L.	Root
1105	<i>Vateria indica</i> L.	Exudate
1106	<i>Vateria indica</i> L.	Resinous Exudate
1107	Vegetable charcoal	Wood
1108	<i>Veratrum album</i> L.	Rhizome
1109	<i>Veratrum viride</i> Ait.	Rhizome
1110	<i>Veratrum viridis</i> (Aiton) Ker Gawl.	Rhizome and root
1111	<i>Verbascum thapsus</i> L.	Whole Plant
1112	<i>Verbena officinalis</i> L.	Whole plant
1113	<i>Vernonia anthelmintica</i> (L.) Willd.	Fruit
1114	<i>Vernonia cinerea</i> Lees.	Whole plant
1115	<i>Veronicastrum virginicum</i> (L.) Farwell.	Rhizome and root
1116	<i>Vespa crabro</i>	Whole female insect
1117	<i>Vetiveria zizanioides</i> (L.) Nash.	Root
1118	<i>Viburnum opulus</i> L.	Bark
1119	<i>Viburnum prunifolium</i> L.	Bark
1120	<i>Vicia faba</i> L. Syn. <i>Faba vulgaris</i> Moench.	Seed
1121	<i>Vigna trilobata</i> (L.) Verdc.	Whole plant
1122	<i>Vigna unguiculata</i> (L.) Walp.	Seed
1123	<i>Vinca minor</i> L.	Whole plant
1124	<i>Vincetoxicum hirudinaria</i> Medic.	Leaves
1125	<i>Viola odorata</i> L.	Flower
1126	<i>Viola odorata</i> L.	Whole plant
1127	<i>Viola pilosa</i> Blume.	Dried leaves
1128	<i>Viola pilosa</i> Blume.	Dried whole plant
1129	<i>Viola tricolor</i> L.	Whole plant
1130	<i>Viscum album</i> L.	Fresh leaves and berries
1131	<i>Vitex agnus-castus</i> L.	Fruit

1132	<i>Vitex negundo</i> (L.) Dunal.	Leaf
1133	<i>Vitex negundo</i> L.	Root
1134	<i>Vitex negundo</i> L.	Seed
1135	<i>Vitis vinifera</i> L.	Dried Fruit
1136	<i>Vitis vinifera</i> L.	Fresh Fruit
1137	<i>Wedelia calendulacea</i> Less non Rich	Whole plant
1138	<i>Wedelia chinensis</i> Merril	Aerial Parts
1139	<i>Wikstroemia veridiflora</i> Meillu	Stem Bark of branches
1140	<i>Withania somnifera</i> (L.)Dunal	Root
1141	<i>Woodfordia fruticosa</i> (L.) Kurz	Flower
1142	<i>Wrightia tinctoria</i> (Roxb.) R. Br. Syn. <i>Nerium tinctorium</i> Roxb.	Seed
1143	<i>Wyethia helenioides</i> Nuttl.	Root
1144	<i>Xanthium spinosum</i> L.	Whole plant
1145	<i>Xanthoxylum fraxineum</i> Willd.	Bark
1146	<i>Xeromphis spinosa</i> (Thunb.) Keay	Fruit
1147	<i>Yucca filamentosa</i> L.	Root, leaf and flower
1148	<i>Zanthoxylum armatum</i> DC.	Stem bark
1149	<i>Zanthoxylum armatum</i> DC.	Fruit
1150	<i>Zea mays</i> L.	Corn silk
1151	<i>Zingiber officinale</i> Rose.	Fresh Rhizome
1152	<i>Zingiber officinale</i> Roxb.	Dry Rhizome
1153	<i>Zingiber officinale</i> Roxb.	Rhizome
1154	<i>Ziziphus xylopyrus</i> Willd.	Fruit
1155	<i>Ziziphus mauritiana</i> Lam.	Fruit Pulp
1156	<i>Ziziphus jujuba</i> Lam. Syn. <i>Ziziphus mauritiana</i> Lam.	Stem bark

SUPPLY ORDER FORM

For BRS & Authentic raw drug

Pharmacopoeia Commission for Indian Medicine & Homoeopathy (PCIM&H) Ministry of Ayush, Govt. of India Kamla Nehru Nagar, Ghaziabad-201002 E.mail: dir.pcimh-ayush@gov.in , Website: https://pttps://pcimh.gov.in	For Office use only Date Received:..... BRS/RD Order No:..... Processed by:.....
---	--

Please Supply

S. No.	Name of BRS	Quantity	Quantity Ordered	Total Price (Rs.)

Please mention Email ID for certificate of Analysis for BRS

Name of the Organization.....

Delivery Address.....

.....Pin Code.....

GSTIN.....State Code.....

Tel. No.....E-mail:.....

Billing Address.....

GSTIN.....State Code.....

Tel. No.....E-mail:.....

Declaration

*I certify that BRS (s) ordered is for the purpose of its intended use as per -----

Name.....Designation.....Signature.....Date.....

Order and Payment Information may please inform on e-mail: dir.pcimh-ayush@gov.in,

Order (s) must be made in writing by post or e-mail address given as above:

For any queries also please email on above e-mail address

We regret that order is not normally accepted over the telephone.

* Warning: For laboratory use only. Not for drug, food, human or animal consumption.

For office use only

RF No.....

Date:...../...../.....

Regional Raw Drug Repository (Gangetic Plain Region)
Pharmacopoeia Commission for Indian Medicine and Homoeopathy
Ministry of Ayush, Govt. of India
Kamla Nehru Nagar, Ghaziabad -201002 (UP)

Requisition Form

(For identification and authentication of Raw Material (Plant Origin))

Name of the Requester/Industry (Certificate will be issued only on the name mentioned here)			
Address of the requester with contact number and e-mail (attach a copy of valid identity card and bonafide certificate as a proof for student/scholar)			
Name of the guide with affiliation			
Details of Sample i. Name of Sample : ii. Part: : iii. Nature of specimen: Wild / Cultivated / Market Sample : iv. Date of collection : v. Place of collection :			
Expected date of test Report			
Details of Test to be performed and charges applicable			
Type of test	Charges	Concessional Charges for student/scholar	No. of test samples
Authentication Raw drug in entire or cut pieces	₹600/- <input type="checkbox"/>	₹300/- <input type="checkbox"/>	
Raw drug in powder form	₹1000/- <input type="checkbox"/>	₹500/- <input type="checkbox"/>	
Formulation(per ingredient)	₹1000/- <input type="checkbox"/>	₹500/- <input type="checkbox"/>	

Transaction Details

Amount Paid:.....Mode of Payment:.....:

Payment Details (RTGS/NEFT Payment or DD).....Date...../...../.....